

WATER-TESTING PRODUCTS PRICE LIST – 2014

(PRICES EFFECTIVE JANUARY 1, 2014)

TABLE OF CONTENTS

SECTION 2: NUMERIC LISTINGS OF PRODUCTS.....	PAGE 3
If you are familiar with our product numbering and just want to find a price, use this section.	
TEST KITS AND REAGENT PACKS.....	PAGE 3
REAGENTS	PAGE 6
REPLACEMENT PARTS	PAGE 13
SECTION 3: ALPHABETICAL LISTINGS OF PRODUCTS.....	PAGE 16
If you want to find a product but aren't familiar with our offerings, this section details our kits, reagents, and replacement parts by type and usage.	
SINGLE-ANALYTE TEST KITS	PAGE 16
MARKET-SPECIFIC TEST KITS	PAGE 21
TTI COLORIMETER	PAGE 23
OTHER ELECTRONIC TEST KITS	PAGE 23
MISCELLANEOUS KITS	PAGE 24
BURET TITRATION REAGENT PACKS	PAGE 24
ACCESSORIES	PAGE 24
TTI COLORIMETER REAGENT PACKS	PAGE 25
ALPHANUMERIC REAGENT CROSS-REFERENCE	PAGE 26
REPLACEMENT PARTS	PAGE 30

**Our Quality Management System
is certified to ISO 9001:2008**



the most trusted name in water testing

SECTION 2: NUMERIC LISTINGS OF PRODUCTS

NUMERIC LISTING OF ALL TEST KITS AND REAGENT PACKS

KIT NO.	KIT DESCRIPTION	PRICE	KIT NO.	KIT DESCRIPTION	PRICE
K-0401	Titration Pack, Buret w/ 1 stopcock buret	\$ 229.50	K-1109	Midget Comparator, Orthophosphate (high range), Stannous Chloride, 10-100 ppm	\$ 126.40
K-0403	Titration Pack, Buret w/ 2 stopcock burets	333.65	K-1110	Midget Comparator, Orthophosphate (low range), Stannous Chloride, 0-10 ppm	120.90
K-0430	Reagent Pack, Buret, Alkalinity (P/M&P/T), Phenolphthalein/Methyl Orange/ Blended Indicator, 1 mL = 1 mg	23.40	K-1128	Slide Comparator, Nitrate, Zinc Reduction, 0-10 ppm	208.25 †
K-0431	Reagent Pack, Buret, Alkalinity (P/M&P/T), Phenolphthalein/Methyl Orange/ Blended Indicator, 1 mL = 5 mg	24.60	K-1141	Slide Comparator, Chlorine (total), OT, 0.2-12 ppm	129.80
K-0432	Reagent Pack, Buret, Hardness (calcium/total), EDTA, 1 mL = 1 mg	33.00	K-1151	Slide Comparator, Chlorine (total), OT, 5-250 ppm	147.30
K-0433	Reagent Pack, Buret, Chloride, Argentometric, 1 mL = 1 mg	31.75	K-1153	Slide Comparator, Iron (total), Tripyridyl-s-triazine, 0-2.0 ppm	140.85
K-0434	Reagent Pack, Buret, Chloride, Argentometric, 1 mL = 0.5 mg	32.05	K-1154	Slide Comparator, Iron (total), Phenanthroline, 0-10 ppm	184.60
K-0435	Reagent Pack, Buret, Chloride (Sodium Chloride), Argentometric, 1 mL = 1 mg	33.40	K-1155	Slide Comparator, Copper (total), Cuprizone, 0-3.0 ppm	133.75
K-0436	Reagent Pack, Buret, Sulfite (Sodium Sulfite), Iodometric, 1 mL = 1 mg	24.15	K-1186	Midget Comparator, Glutaraldehyde, Modified MBTH, 0-50 ppm	177.35 *
K-0437	Reagent Pack, Buret, Sulfite, Iodometric, 1 mL = 1 mg	22.25	K-1190	Color Card Comparator, Polymer, Turbidimetric, 0-10 ppm	193.20
K-0438	Reagent Pack, Buret, Sulfite, Iodometric, 1 mL = 0.5 mg	22.30	K-1201	Slide Comparator, Chlorine (total), OT, 0-1.0 ppm	129.20
K-0439	Reagent Pack, Buret, Sulfite (Sodium Sulfite), Iodometric, 1 mL = 0.5 mg	22.70	K-1203	Slide Comparator, Chlorine (total), OT, 0.1-4.0 ppm	129.20
K-0440	Reagent Pack, Buret, Nitrite (Sodium Nitrite), Permanganate, 1 mL = 3.45 mg	35.40	K-1205	Slide Comparator, Chlorine (total), OT, 0.2-3.0 ppm	129.20
K-0444	Reagent Pack, Buret, Phosphonate, Thorium Nitrate/Xylenol Orange, 1 mL = 6 ppm ATMP	95.55	K-1231	Midget Comparator, Chlorine (total), OT, 0-1.0 ppm	58.15
K-0445	Reagent Pack, Buret, Chlorine (free/combined), FAS-DPD, 1 mL = 0.1 mg	99.45	K-1234	Midget Comparator, Chlorine (free/total), DPD (tablet), 0.2-3.0 ppm	66.60
K-0447	Reagent Pack, Buret, Hardness (total), 1 mL = 0.1 mg	52.25	K-1239RC	Midget Comparator, Iron (total), Phenanthroline, 0-10 ppm	119.35
K-1011-H	Slide Comparator, pH, Bromthymol Blue, 6.0-7.6	143.85	K-1239SC	Midget Comparator, Iron (ferrous/total), Phenanthroline, 0-10 ppm	118.60
K-1011-J	Slide Comparator, pH, Phenol Red, 6.8-8.4	143.85	K-1241	Slide Comparator, Bromine (total), DPD, 0-3.0 ppm	124.70
K-1011-K	Slide Comparator, pH, Cresol Red, 7.2-8.8	143.85	K-1242	Slide Comparator, Bromine (total), DPD, 2.0-10 ppm	124.75
K-1011-L	Slide Comparator, pH, Meta Cresol Purple, 7.6-9.2	143.85	K-1243	Slide Comparator, Octadecylamine, Bromphenol Blue/Chloroform Extraction, 0-6 ppm	190.60 *
K-1011-M	Slide Comparator, pH, Thymol Blue, 8.0-9.6	143.85	K-1256	Slide Comparator, Chlorine (total), OT, 0-50 ppm	149.60
K-1011-O	Slide Comparator, pH, Toly Red, 10.0-11.6	143.85	K-1259-1	Slide Comparator, Chlorine (free/total), DPD, 0-3.0 ppm	149.90
K-1011-U	Slide Comparator, pH, Long Range, 3.0-11.0	143.85	K-1259-2	Slide Comparator, Chlorine (free/total), DPD, 0-1.0 ppm	130.80
K-1100	Slide Comparator (no case), Orthophosphate (high range), Stannous Chloride, 5-100 ppm	166.95	K-1264	Commercial (uses Midget comparators), Copper, 0.2-3.0 ppm/Iron, 0-2.0 ppm	113.55
K-1100C	Slide Comparator (w/ case), Orthophosphate (high range), Stannous Chloride, 5-100 ppm	271.25	K-1267	Midget Comparator, Iodine/Iodide (free/total), Leuco Crystal Violet, 0-2.0 ppm	92.10 *
K-1105	Slide Comparator (no case), Orthophosphate (low range), Stannous Chloride, 0-25 ppm	165.90	K-1272	Slide Comparator, Silica, Heteropoly Blue, 0-50 ppm	178.50 *
K-1105C	Slide Comparator (w/ case), Orthophosphate (low range), Stannous Chloride, 0-25 ppm	259.60	K-1273	Midget Comparator, Silica, Heteropoly Blue, 5-50 ppm (up to 500 ppm if diluted)	117.30 *
K-1108	Slide Comparator (no case), Polyphosphate (low range), Acid Hydrolysis/ Stannous Chloride, 0-25 ppm	282.95	K-1285-1	Midget Comparator, pH, Long Range, 3.0-10.0	72.35
			K-1285-2	Midget Comparator, pH, Phenol Red, 6.8-8.2	72.35
			K-1285-4	Midget Comparator, pH, Bromthymol Blue, 6.0-7.4	72.35
			K-1285-5	Midget Comparator, pH, Chlorphenol Red, 5.2-6.6	72.50
			K-1285-6	Midget Comparator, pH, Cresol Red, 7.2-8.6	72.40
			K-1285-7	Midget Comparator, pH, Thymol Blue, 8.2-9.6	72.40
			K-1289	Slide Comparator, Chlorine (free/total), DPD, 1.0-10 ppm	128.95

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

† No UPS and requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

NUMERIC LISTING OF ALL TEST KITS AND REAGENT PACKS (continued)

KIT NO.	KIT DESCRIPTION	PRICE	KIT NO.	KIT DESCRIPTION	PRICE
K-1293	Midget Comparator, Bromine (total), OT, 0.2-3.0 ppm	\$ 59.70	K-1568	Drop Test, Iodine, Iodometric (Thiosulfate), 1 drop = 5 ppm	\$ 75.95
K-1297	Midget Comparator, Chlorine (total), OT, 0-2.0 ppm	57.25	K-1575	Drop Test, Alkalinity (P/M&P/T), Phenolphthalein/Methyl Orange/Blended Indicator, 1 drop = 10 or 50 ppm	69.10
K-1401	Midget Comparator, Chlorine (total), OT, 5-250 ppm	85.45	K-1577	Drop Test, Salinity, Argentometric, 1 drop = 1 or 2 ppt	64.10
K-1443	Drop Test, Hydrogen Peroxide (undiluted strength), Iodometric, 1 drop = 0.5 or 1%	98.40	K-1579	Drop Test, Chlorine (Bleach), Iodometric, 1 drop = 10 or 100 ppm; 1 drop = 0.05 or 0.5%	92.05
K-1502	Drop Test, Chlorine Dioxide, FAS-DPD, 1 drop = 0.2 ppm	79.30	K-1580	Drop Test, Chlorine (total), Iodometric, 1 drop = 1 or 10 ppm	92.00
K-1503	Drop Test, Hardness (total), EDTA, 1 drop = 2 or 10 ppm	48.90	K-1582	Drop Test, QAC, Direct Neutralization, 1 drop = 10 or 25 ppm QAC/ 1 drop = 3.5 or 9 ppm Polyquat	107.05
K-1504	Drop Test, Hardness (total: trace), EDTA, 1 drop = 0.5 ppm	58.55	K-1583	Drop Test, Phosphonate, Thorium Nitrate/XO (uses pH test paper 1.8-3.8), 1 drop = 1 ppm ATPM	95.85
K-1505	Drop Test, Hardness (total), EDTA (odorless buffer), 1 drop = 2 or 10 ppm	48.90	K-1584	Drop Test, Phosphonate, Thorium Nitrate/Chrome Azurol S (uses pH test paper 2.5-4.5), 1 drop = 0.8 ppm PBTC	116.55
K-1506	Drop Test, Chloride, Argentometric (for neutral pH waters), 1 drop = 10, 25, 50, 100, or 500 ppm	54.65	K-1588	Drop Test, Dissolved Oxygen, Winkler-azide Modification, 1 drop = 1.0 ppm	128.15 *
K-1510	Drop Test, Nitrite (Sodium Nitrite), CAN, 1 drop = 40 ppm	68.15	K-1592	Color Card Comparator, pH, Long Range, 3.0-11.0	24.47
K-1511	Drop Test, Zinc, Complexometric, 1 drop = 0.5 ppm	84.05	K-1593	Drop Test, Iodine (free), Iodometric (PAO), 1 drop = 2.5 or 5 ppm	73.10 *
K-1512	Drop Test, Alkalinity (P/T, for laundry), Phenolphthalein/Blended Indicator, 1 drop = 10 or 50 ppm	53.50	K-1594	Drop Test, Hardness (calcium/total), EDTA, 1 drop = 10 ppm	63.70
K-1514	Drop Test, Hardness (calcium/total), EDTA, 1 drop = 2 or 10 ppm	57.90	K-1598	Drop Test, Chloride, Mercuric Nitrate, 1 drop = 2 or 10 ppm	71.65 *
K-1515-C	Drop Test, Chlorine (free/combined), FAS-DPD, 1 drop = 0.2 or 0.5 ppm	73.60	K-1599	Drop Test, Sequestrant, Thorium Nitrate/Xylenol Orange, 1 drop = 1 or 10 ppm	107.75
K-1516	Drop Test, Chlorine (free/combined), FAS-DPD (crystals), 1 drop = 0.2 or 0.5 ppm	77.15	K-1615	Laundry, Alkalinity/Chlorine (bleach), OT/Hardness/pH	168.21
K-1517-C	Drop Test, Bromine (total), FAS-DPD, 1 drop = 0.5 or 1.25 ppm	64.60	K-1616	Laundry, Alkalinity/Chlorine (bleach), OT/Hardness/Iron/pH	225.75
K-1519	Drop Test, Water Softener, Visual Determination	27.45	K-1640	Boiler/Cooling Systems, Alkalinity/Chloride (high pH waters)/Hardness/Sulfite	125.53
K-1527	Drop Test, Alkalinity (P/T), Phenolphthalein/Blended Indicator, 1 drop = 10 ppm	37.05	K-1645	Boiler/Cooling Systems, Alkalinity/Chloride/Hardness/Orthophosphate/pH/ Sulfite	186.70
K-1528	Drop Test, Alkalinity (caustic/total), Phenol/Blended Indicator, 1 drop = 0.2g/100 mL NaOH or 0.265 g/100 mL Na ₂ CO ₃	66.90	K-1645-1	Boiler/Cooling Systems, Alkalinity/Hardness/Orthophosphate/Sulfite	172.55
K-1529	Drop Test, Sulfite (Sodium Sulfite), Iodometric, 1 drop = 2 or 10 ppm	47.45	K-1645-2	Boiler/Cooling Systems, Alkalinity/Chloride/Hardness	99.25
K-1530	Drop Test, Alkalinity (total), Blended Indicator (using H ₂ SO ₄), 1 drop = 10 ppm	34.25	K-1645-3	Boiler/Cooling Systems, Alkalinity/Hardness/Sulfite	100.05
K-1531	Drop Test, Alkalinity (Caustic Soda), Phenolphthalein, 1 drop = 0.1 or 1% NaOH	57.20	K-1645-4	Boiler/Cooling Systems, Alkalinity/Chloride/Hardness/Orthophosphate	161.70
K-1533PM	Drop Test, Alkalinity (P/M), Phenolphthalein/Methyl Orange (using H ₂ SO ₄), 1 drop = 10 or 50 ppm	47.55	K-1645-5	Boiler/Cooling Systems, Alkalinity/Chloride/Orthophosphate/Sulfite	159.60
K-1533PT	Drop Test, Alkalinity (P/T), Phenolphthalein/Blended Indicator (using H ₂ SO ₄), 1 drop = 10 or 50 ppm	47.35	K-1645-6	Boiler/Cooling Systems, Alkalinity/Chloride/Hardness/Sulfite	107.10
K-1537	Drop Test, Alkalinity (hydroxyl), Phenolphthalein, 1 drop = 10 or 50 ppm	66.70	K-1646	Boiler/Cooling Systems, Molybdenum/Nitrite/pH	156.45 *
K-1539	Drop Test, Nitrite (Sodium Nitrite), Permanganate (using H ₂ SO ₄), 1 drop = 100 ppm	53.10	K-1650	Boiler/Cooling Systems, Alkalinity/Chloride/Orthophosphate/Sulfite	180.60
K-1540	Freezing Point Determination (for glycol and brine solutions)	204.20	K-1658	Drop Test, Dissolved Oxygen, Winkler-azide Modification, 1 drop = 0.2 ppm	171.00 *
K-1541	Drop Test, Boron, Proprietary, 1 drop = 0.2 or 0.5 ppm	180.50	K-1664	Drop Test, Total Dissolved Solids, Acid-Base Titration, 1 drop = 50 ppm	77.65
K-1542	Boiler/Cooling Systems, Alkalinity, 1 drop = 10 ppm/Hardness, 1 drop = 10 ppm	77.95	K-1670	Color Card Comparator, pH, Long Range, 5.0-9.0	25.65
K-1543	Drop Test, Chloride, Argentometric (for high pH waters), 1 drop = 2 ppm	62.70	K-1680	Boiler/Cooling Systems, Alkalinity/Chloride/Hardness/Nitrite/Phosphonate/ Sulfite	214.45
K-1544	Drop Test, Chelant (total), Complexometric, 1 drop = 2 or 5 ppm EDTA	99.40	K-1682	Drop Test, Neutralizing Amines, Acid-Base Titration, 1 drop = 2.5, 3.8, 4, 5, or 6 ppm	71.80
K-1546	Drop Test, Peracetic Acid, Iodometric, 0-1000 ppm	110.25	K-1690	Boiler/Cooling Systems, Alkalinity/Chloride/Hardness/Molybdenum/Nitrite/ Phosphonate/Silica/Sulfite	469.35 *
K-1547	Drop Test, Acidity (Hydrochloric/Muriatic), Neutralization, 1 drop = 0.5 g/100 mL	71.70	K-1692	Cooling Systems, Alkalinity/Chloride/Hardness/Nitrite/Phosphonate/Polymer	400.05
K-1548	Drop Test, Acidity (Sulfuric Acid), Neutralization, 1 drop = 0.02-1.0 g/100 mL	63.37	K-1693	Boiler Systems, Alkalinity/Chloride/Hardness/Polymer/Sulfite	328.65
K-1549	Drop Test, Chloride, Argentometric (for high pH waters), 1 drop = 10, 25, 50, 100, or 500 ppm	62.00	K-1716	Midget Comparator, Iron (total), Tripyridyl-s-triazine, 0-2.0 ppm	73.13
K-1549S	Drop Test, Chloride, Argentometric (for high pH waters), 1 drop = 10 ppm	55.65	K-1730	Color Card Comparator, Copper (free), Thiocarbamate, 0.05-1.0 ppm	25.15
K-1554	Drop Test, Chelant (free), Complexometric, 1 drop = 2 ppm EDTA	78.25	K-1738	Midget Comparator, Copper (total), Cuprizone, 0.2-3.0 ppm	69.05
K-1563	Drop Test, Nitrite (Sodium Nitrite), Permanganate (using acid sulfate), 1 drop = 100 ppm	42.60	K-1767	Drop Test, Chloride (Sodium Chloride), Argentometric, 1 drop = 20, 40, 100, 200, or 800 ppm	59.45
K-1564	Drop Test, Nitrite (Sodium Nitrite), Permanganate, 1 drop = 25 ppm	60.05	K-1768	Midget Comparator, Chlorine (free/total), DPD, 0.2-3.0 ppm	64.20
K-1565	Drop Test, Nitrite (Sodium Nitrite), Permanganate, 1 drop = 50 ppm	43.85	K-1768-2	Midget Comparator, Chlorine (free/total), DPD, 1.5-10 ppm	63.10
K-1567	Drop Test, Hardness (calcium), EDTA, 1 drop = 10 ppm	51.55	K-1773	Midget Comparator, Bromine (total), DPD, 0.2-3.0 ppm	61.65

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

NUMERIC LISTING OF ALL TEST KITS AND REAGENT PACKS (continued)

KIT NO.	KIT DESCRIPTION	PRICE	KIT NO.	KIT DESCRIPTION	PRICE
K-1775	Drop Test, Chelant (free), Complexometric, 1 drop = 5 ppm NTA	\$ 94.45	K-8006	Reagent Pack, Colorimeter, Polymer, Turbidimetric, 0-20 or 20-500 ppm	\$ 123.70
K-1805	Drop Test, Molybdenum, Complexometric, 1 drop = 2, 5, 20, or 50 ppm	81.70 *	K-8007	Reagent Pack, Colorimeter, Silica, Silicomolybdate, 0-60.0 ppm	30.75
K-1805P	Drop Test, Molybdenum, Complexometric (powder), 1 drop = 2, 5, 20, or 50 ppm	92.80 *	K-8008	Reagent Pack, Colorimeter, Silica, Heteropoly Blue, 0-4.00 ppm	42.85
K-1818	Slide Comparator, Ozone, DPD, 0-2.0 ppm	134.80	K-8009	Reagent Pack, Colorimeter, Iron (total), Tripyridyl-s-triazine, 0-4.00 ppm	25.75
K-1819	Boiler/Cooling Systems, Alkalinity/Chloride/Sulfite	94.35	K-8010	Reagent Pack, Colorimeter, Iron (ferrous), Phenanthroline, 0-3.00 ppm	32.95
K-1822	Slide Comparator, Ozone, DPD, 0-0.66 ppm	138.00	K-8011	Reagent Pack, Colorimeter, Iron (total), Proprietary Method, 0-0.300 ppm	58.50
K-1825	Drop Test, Hydrogen Peroxide, Iodometric, 1 drop = 5 ppm, 2 oz	76.55	K-8012	Reagent Pack, Colorimeter, Copper (total), Cuprizone, 0-3.00 ppm	35.20
K-1826	Drop Test, Hydrogen Peroxide, Iodometric, 1 drop = 5 ppm, .75 oz	27.95	K-8013	Reagent Pack, Colorimeter, Copper (free), Porphyrin, 0-0.200 ppm	54.80
K-1831	2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 30 & 60 ppm	88.95	K-8014	Reagent Pack, Colorimeter, Phosphonate, Persulfate-UV Oxidation, 0-30.0 ppm	40.65
K-1832	2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 20 & 40 ppm	88.95	K-8014-AC	Reagent Pack w/ accessories, Colorimeter, Phosphonate, Persulfate-UV Oxidation, 0-30.0 ppm	176.15
K-1833	2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 20 & 60 ppm	88.95	K-8015	Reagent Pack, Colorimeter, Hydrazine, p-Dimethylaminobenzaldehyde, 0-1.50 ppm	48.40
K-1837	2-Standard Comparator, Orthophosphate (low range), Stannous Chloride, 2 & 8 ppm	88.95	K-8016	Reagent Pack, Colorimeter, Oxygen Scavenger, 0-1.000, 0-0.700, 0-2.450, 0-2.000, 0-3.000 ppm	36.50
K-1860	Visual Determination, Aerobic Bacteria, Nutrient-Supported Growth, Sani-Check®, 25/box	182.33	K-8017	Reagent Pack, Colorimeter, Manganese, Persulfate, 0-30.0 ppm	35.80
K-1860-RP	Replacement Pack, Aerobic Bacteria, Nutrient-Supported Growth (for K-1860)	145.42	K-8018	Reagent Pack, Colorimeter, Boron, Azomethine H, 0-2.00 ppm	38.05
K-1861	Visual Determination, Aerobic Bacteria/Fungi/Yeasts, Nutrient-Supported Growth, Easicult®, 10/box	101.40	K-8019	Reagent Pack, Colorimeter, Zinc, Zincon, 0-3.00 ppm	64.90
K-1862	Visual Determination, Aerobic Bacteria, Nutrient-Supported Growth, Easicult®, 10/box	90.85	K-8020	Reagent Pack, Colorimeter, Hydrogen Peroxide, Iodide Catalytic Oxidation, 0-2.00 ppm	21.50
K-1865	Visual Determination, Anaerobic Bacteria, Nutrient-Supported Growth, Sani-Check®, 25/box	164.17	K-8021	Reagent Pack, Colorimeter, Nitrite, Ferrous Sulfate, 0-150 ppm	32.95
K-3209	Slide Comparator (Long Viewpath), Chlorine (total), OT, 0-1.0 ppm	203.70	K-8022	Reagent Pack, Colorimeter, Hardness (total), Calmagite, 0-4.00 ppm	37.00
K-3220	Slide Comparator (Long Viewpath), Iron (total), Thiocyanate, 0-3.0 ppm	268.80	K-8023	Reagent Pack, Colorimeter, Sodium Chloride (Salt), Turbidimetric, 0-80 ppm	16.20
K-3221	Slide Comparator (Long Viewpath), Manganese, Periodate Oxidation, 0-3.0 ppm	436.80	K-8024	Reagent Pack, Colorimeter, Alkalinity (total), Bromocresol Green, 0-250 ppm	32.30
K-3232	Slide Comparator (Long Viewpath), pH (condensate), Bromthymol Blue/Meta Cresol Purple, 6.0-9.2	202.65	K-8025	Reagent Pack, Colorimeter, Sulfide, Methylene Blue, 0-1.00 ppm	43.15
K-6510	Meter, pH/Temperature, Myron L TechPro II™ TH1	741.95	K-8026	Reagent Pack, Colorimeter, Hardness (calcium), Calmagite, 0-4.00 ppm	30.90
K-6520	Meter, Conductivity/TDS/Temperature, Myron L TechPro II™ TP1	1,066.60	K-8027	Reagent Pack, Colorimeter, pH, Phenol Red, 6.50-8.50	26.30
K-6530	Meter, Conductivity/pH/TDS/Temperature, Myron L TechPro II™ TPH1	1,475.00	K-8028	Reagent Pack, Colorimeter, Molybdenum, Thioglycolate, 0-60.0 ppm	51.65
K-6540	Meter, TDS, Myron L 512T5	564.05	K-8029	Reagent Pack, Colorimeter, Hardness (total), Calmagite, 0-500 ppm	37.00
K-6542	Meter, Chloride (Sodium Chloride)/TDS, Myron L PoolMeter™ 512T5D	573.05	K-8030	Reagent Pack, Colorimeter, Hardness (calcium), Alizarin Red, 0-800 ppm	49.85
K-6545	Meter, Conductivity, Myron L 512M5	544.65	K-8031	Reagent Pack, Colorimeter, Monopersulfate, DPD, 0-10.0 ppm	26.80
K-6560	Meter, Conductivity, Myron L EP-10	705.25	K-8032	Reagent Pack, Colorimeter, Cyanuric Acid, Turbidimetric, 7-120 ppm	20.30
K-6569	Meter, Conductivity/FC/ORP/pH/Resistivity/TDS/Temperature, Myron L Ultrameter II™ 6PFC ^E	1,662.15	K-8033	Reagent Pack, Colorimeter, Azole, Bisulfite-UV Oxidation, 0-25.0 ppm	31.55
K-8000	Accuracy Check Kit (for TTi Colorimeter Series)	151.25	K-8033-AC	Reagent Pack w/ accessories, Colorimeter, Azole, Bisulfite-UV Oxidation, 0-25.0 ppm	200.50
K-8001	Reagent Pack, Colorimeter, Chlorine (free/total), DPD, 0-4.00, 0-8.0, or 0-10.0 ppm	34.35	K-8035	Reagent Pack, Colorimeter, Nitrate, Chromotropic Acid, 0-44 ppm	176.85
K-8002	Reagent Pack, Colorimeter, Bromine (total), DPD, 0-10.00 or 0-20.0 ppm	31.35	K-9017	Laundry (spot tests), Chlorine, OT/Iron/pH	63.35
K-8003	Reagent Pack, Colorimeter, Molybdenum, Ternary Complex, 0-3.30 ppm	34.50	K-9022	Drop Test, Chlorine (total), Iodometric, 1 drop = 1 ppm	86.05
K-8004	Reagent Pack, Colorimeter, Phosphate, Molybdovanadate, 0-70.0 ppm	22.90	K-9047	Midget Comparator, Chlorine (free/total), DPD, 0.1-2.0 ppm	60.80
K-8005	Reagent Pack, Colorimeter, Phosphate, Molybdenum Blue, 0-3.00 ppm (20-3000 ppb)	33.00	K-9065	Drop Test, QAC, Direct Neutralization, 1 drop = 1.25 ppm QAC/1 drop = 0.5 ppm Polyquat	85.00
			K-9105	Boiler/Cooling Systems, Alkalinity/Chloride/Copper/Hardness/Iron/Molybdate/Nitrite/Orthophosphate/Phosphonate/Silica/Sulfite	1,622.25 *
			K-9348	Case, Titration w/ stopcock burets, 20" w x 10" d x 23" h, plastic & metal, black	1,741.67
			K-9780	Cabinet, Titration (wall-mount), 30" w x 10" d x 20" h, steel	823.00
			K-9780-GP	Glassware Pack (for wall-mount titration cabinet)	690.00
			M-3000	Colorimeter, TTi 3000	1,590.00

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

NUMERIC LISTING OF ALL REAGENTS

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-0001-A	DPD Reagent #1, .75 oz, Dropper Bottle	\$ 3.95	R-0617-G	Iodide Iodate N/63, gal	\$ 46.15
R-0001-A-24	DPD Reagent #1, .75 oz, Dropper Bottle, 24-pack	85.30	R-0617-G4	Iodide Iodate N/63, gal, 4-pack	166.15
R-0001-C	DPD Reagent #1, 2 oz, Dropper Bottle	8.15	R-0618-E	Hardness Reagent .01M, 16 oz	11.80
R-0001-C-12	DPD Reagent #1, 2 oz, Dropper Bottle, 12-pack	87.95	R-0618-F	Hardness Reagent .01M, 32 oz	16.95
R-0002-A	DPD Reagent #2, .75 oz, Dropper Bottle	4.00	R-0618-G	Hardness Reagent .01M, gal	30.75
R-0002-A-24	DPD Reagent #2, .75 oz, Dropper Bottle, 24-pack	86.50	R-0618-G4	Hardness Reagent .01M, gal, 4-pack	110.70
R-0002-C	DPD Reagent #2, 2 oz, Dropper Bottle	8.40	R-0619-E	Hardness Buffer (most often used), 16 oz	16.45
R-0002-C-12	DPD Reagent #2, 2 oz, Dropper Bottle, 12-pack	90.50	R-0619B-C	Hardness Buffer (most often used), 2 oz w/ blue cap, Dropper Bottle	7.95
R-0003-A	DPD Reagent #3, .75 oz, Dropper Bottle	4.20	R-0619LB-C	Hardness Buffer, 2 oz w/ light blue cap, Dropper Bottle	7.95
R-0003-A-24	DPD Reagent #3, .75 oz, Dropper Bottle, 24-pack	90.75	R-0620-J	Hardness Indicator Powder, .25 lb	11.45
R-0003-C	DPD Reagent #3, 2 oz, Dropper Bottle	8.95	R-0620-K	Hardness Indicator Powder, 1 lb	34.00
R-0003-C-12	DPD Reagent #3, 2 oz, Dropper Bottle, 12-pack	96.70	R-0620B-I	Hardness Indicator Powder, 10 g w/ blue dot	6.00
R-0011L-C	Calcium Indicator Liquid, 2 oz, Dropper Bottle	9.80	R-0620LB-I	Hardness Indicator Powder, 10 g w/ light blue dot	6.10
R-0011L-C-12	Calcium Indicator Liquid, 2 oz, Dropper Bottle, 12-pack	105.85	R-0622-C	Trace Hardness Buffer, 2 oz, Dropper Bottle	7.90
R-0011L-E	Calcium Indicator Liquid, 16 oz	32.30	R-0622-E	Trace Hardness Buffer, 16 oz	16.50
R-0011P-I	Calcium Indicator Powder, 10 g	5.95	R-0623-C	Trace Hardness Reagent, 2 oz, Dropper Bottle	12.85
R-0011P-II	Calcium Indicator Powder, 50 g	11.80	R-0623-E	Trace Hardness Reagent, 16 oz	49.20
R-0011P-J	Calcium Indicator Powder, .25 lb	18.35	R-0627H-4-C	Hydrochloric Acid .25N, 2 oz, Dropper Bottle	24.50
R-0011P-K	Calcium Indicator Powder, 1 lb	35.85	R-0627H-10-E	Hydrochloric Acid N/10, 16 oz	11.25
R-0600-A	Orthotolidine, .75 oz	1.85	R-0627S-10-C	Sulfuric Acid N/10, 2 oz, Dropper Bottle	8.30
R-0600-A-DB	Orthotolidine, .75 oz, Dropper Bottle	1.90	R-0627S-10-E	Sulfuric Acid N/10, 16 oz	10.55
R-0600-ADB24	Orthotolidine, .75 oz, Dropper Bottle, 24-pack	41.00	R-0627S-10-F	Sulfuric Acid N/10, 32 oz	13.20
R-0600-C	Orthotolidine, 2 oz	5.05	R-0627S-10F4	Sulfuric Acid N/10, 32 oz, 4-pack	47.35
R-0600-C-DB	Orthotolidine, 2 oz, Dropper Bottle	5.20	R-0627S-10-G	Sulfuric Acid N/10, gal	32.15 *
R-0600-E	Orthotolidine, 16 oz	12.35	R-0627S-10G4	Sulfuric Acid N/10, gal, 4-pack	115.65 *
R-0600-F	Orthotolidine, 32 oz	19.40	R-0627S-50-E	Sulfuric Acid N/50, 16 oz	9.55
R-0600-F4	Orthotolidine, 32 oz, 4-pack	70.05	R-0627S-50-F	Sulfuric Acid N/50, 32 oz	14.00
R-0601-C	Molybdate Reagent, 2 oz	7.65	R-0627S-50-G	Sulfuric Acid N/50, gal	28.85 *
R-0601-C-DB	Molybdate Reagent, 2 oz, Dropper Bottle	7.70	R-0627S-50G4	Sulfuric Acid N/50, gal, 4-pack	103.90 *
R-0601-E	Molybdate Reagent, 16 oz	11.80	R-0628-10-C	Sodium Hydroxide N/10, 2 oz, Dropper Bottle	6.20
R-0601-F	Molybdate Reagent, 32 oz	20.35	R-0628-10-E	Sodium Hydroxide N/10, 16 oz	13.65
R-0601-F4	Molybdate Reagent, 32 oz, 4-pack	73.45	R-0628-10-F	Sodium Hydroxide N/10, 32 oz	20.70
R-0601-G	Molybdate Reagent, gal	77.55 *	R-0628-10-G	Sodium Hydroxide N/10, gal	51.25 *
R-0601-G4	Molybdate Reagent, gal, 4-pack	279.15 *	R-0628-44-E	Sodium Hydroxide N/44, 16 oz	39.85
R-0601C-G	Molybdate Concentrate, gal	553.45	R-0628-44-F	Sodium Hydroxide N/44, 32 oz	85.70
R-0602-C	Stannous Chloride Concentrate, 2 oz	11.95	R-0628-50-E	Sodium Hydroxide N/50, 16 oz	19.05
R-0602-E	Stannous Chloride Concentrate, 16 oz	45.45	R-0628-50-F	Sodium Hydroxide N/50, 32 oz	28.85
R-0602P-I	Stannous Chloride Powder, 10 g	5.75	R-0628-50-G	Sodium Hydroxide N/50, gal	58.45 *
R-0602P-J	Stannous Chloride Powder, .25 lb	11.25	R-0629-35-E	Silver Nitrate N/35.5, 16 oz	14.15
R-0602P-K	Stannous Chloride Powder, 1 lb	29.40	R-0629-35-F	Silver Nitrate N/35.5, 32 oz	20.85
R-0604-C	Chlorine Reagent #2, 2 oz	9.80	R-0629-35-F4	Silver Nitrate N/35.5, 32 oz, 4-pack	74.90
R-0604-E	Chlorine Reagent #2, 16 oz	23.10	R-0629-35-G	Silver Nitrate N/35.5, gal	58.00 *
R-0608-C	Sulfuric Acid Concentrated, 2 oz	13.20	R-0629-35-G4	Silver Nitrate N/35.5, gal, 4-pack	208.80 *
R-0608-E	Sulfuric Acid Concentrated, 16 oz	36.90	R-0629-50-E	Silver Nitrate N/50, 16 oz	15.75
R-0614-C	Hardness Reagent A, 2 oz w/ blue cap, Dropper Bottle	7.90	R-0629-50-F	Silver Nitrate N/50, 32 oz	21.00
R-0615-I	Hardness Reagent B, 10 g w/ blue dot	6.05	R-0629-58-E	Silver Nitrate N/58.4, 16 oz	14.95
R-0616-C	Hydrochloric Acid Concentrated, 2 oz	10.25	R-0629-58-F	Silver Nitrate N/58.4, 32 oz	17.80
R-0616-E	Hydrochloric Acid Concentrated, 16 oz	22.15	R-0629-58-F4	Silver Nitrate N/58.4, 32 oz, 4-pack	69.00
R-0617-E	Iodide Iodate N/63, 16 oz	15.70	R-0629-58-G	Silver Nitrate N/58.4, gal	59.50 *
R-0617-F	Iodide Iodate N/63, 32 oz	22.20	R-0629-71-E	Silver Nitrate N/71, 16 oz	12.50

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

NUMERIC LISTING OF ALL REAGENTS (continued)

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-0629-71-F	Silver Nitrate N/71, 32 oz	\$ 17.90	R-0645-F	Total Alkalinity Indicator, 32 oz	\$ 29.85
R-0629-71-F4	Silver Nitrate N/71, 32 oz, 4-pack	62.95	R-0645-G	Total Alkalinity Indicator, gal	76.90
R-0629-C	Silver Nitrate .54N, 2 oz, Dropper Bottle	45.35	R-0646-E	Barium Chloride Solution 10%, 16 oz	12.00
R-0630-A	Chromate Indicator, .75 oz, Dropper Bottle	5.45	R-0646-F	Barium Chloride Solution 10%, 32 oz	19.85
R-0630-C	Chromate Indicator, 2 oz, Dropper Bottle	5.90	R-0646-G	Barium Chloride Solution 10%, gal	55.15
R-0630-E	Chromate Indicator, 16 oz	14.50	R-0649-C	Hydrogen Peroxide Solution 3%, 2 oz, Dropper Bottle	8.50
R-0630-F	Chromate Indicator, 32 oz	21.00	R-0651-C	Chloroform, 2 oz	15.90 *
R-0630-G	Chromate Indicator, gal	69.95	R-0651-E	Chloroform, 16 oz	67.35 *
R-0630-G4	Chromate Indicator, gal, 4-pack	288.30	R-0652-E	Permanganate N/10, 16 oz	16.80
R-0632-50-G	Sodium Carbonate N/50, gal	51.20	R-0653-2-C	Calcium Buffer, 2 oz, Dropper Bottle	8.70
R-0633-10-E	Iodide Iodate N/10, 16 oz	29.85	R-0653-2-E	Calcium Buffer, 16 oz	26.55 *
R-0633-10-G	Iodide Iodate N/10, gal	196.15	R-0653-E	Calcium Buffer (for cadmium testing), 16 oz	51.90 *
R-0633-126-E	Iodide Iodate N/126, 16 oz	12.60	R-0655H-2-F	Hydrochloric Acid 2.5N, 32 oz	22.60
R-0633-126-F	Iodide Iodate N/126, 32 oz	19.15	R-0655S-1-F	Sulfuric Acid 1.28N, 32 oz	36.75
R-0633-126-G	Iodide Iodate N/126, gal	47.05	R-0656-C	Standard Alkali N, 2 oz, Dropper Bottle	13.45
R-0633-40-E	Iodide Iodate N/40, 16 oz	12.55	R-0656-F	Standard Alkali N, 32 oz	26.05
R-0633-40-F	Iodide Iodate N/40, 32 oz	18.85	R-0657-I	Manganous Sulfate Powder, 10 g	23.35 *
R-0633-40-G	Iodide Iodate N/40, gal	46.95	R-0658-C	Manganous Sulfate Solution, 2 oz	16.90 *
R-0633-80-E	Iodide Iodate N/80, 16 oz	12.75	R-0659-I	Iodide Azide Powder, 10 g	26.95 *
R-0633-80-F	Iodide Iodate N/80, 32 oz	19.20	R-0660S-C	Alkaline Iodide Azide Reagent, 2 oz	24.90
R-0633-80-G	Iodide Iodate N/80, gal	47.00	R-0664-C	Bleach Reagent #1, 2 oz	16.25
R-0633-80-G4	Iodide Iodate N/80, gal, 4-pack	169.70	R-0664-C-DB	Bleach Reagent #1, 2 oz, Dropper Bottle	16.35
R-0636-C	Starch Indicator Solution, 2 oz, Dropper Bottle	7.20	R-0664-E	Bleach Reagent #1, 16 oz	77.70
R-0636-E	Starch Indicator Solution, 16 oz	15.70	R-0665-C	Bleach Reagent #2 (liquid), 2 oz	18.00
R-0636-F	Starch Indicator Solution, 32 oz	28.95	R-0665-E	Bleach Reagent #2 (liquid), 16 oz	42.10 *
R-0636-G	Starch Indicator Solution, gal	60.00	R-0665S-II	Bleach Reagent #2 (crystals), 50 g	18.15
R-0636-G4	Starch Indicator Solution, gal, 4-pack	216.00	R-0666-C	Bleach Reagent #3, 2 oz, Dropper Bottle	10.40
R-0637-C	Methyl Orange Indicator, 2 oz, Dropper Bottle	6.40	R-0666-E	Bleach Reagent #3, 16 oz	30.85
R-0637-E	Methyl Orange Indicator, 16 oz	14.00	R-0673-C	High Iron Reagent #1, 2 oz	18.65
R-0637-F	Methyl Orange Indicator, 32 oz	20.85	R-0673-E	High Iron Reagent #1, 16 oz	53.90
R-0637-G	Methyl Orange Indicator, gal	40.35	R-0674-C	High Iron Reagent #2, 2 oz	16.55
R-0638-E	Phenolphthalein Indicator, 16 oz	10.85	R-0674-E	High Iron Reagent #2, 16 oz	45.35
R-0638-F	Phenolphthalein Indicator, 32 oz	15.30	R-0682-C	Chloride Reagent, 2 oz, Dropper Bottle	19.80
R-0638-G	Phenolphthalein Indicator, gal	45.95 *	R-0683-C	Hardness Reagent (1 drop = 10 ppm hardness as CaCO ₃), 2 oz, Dropper Bottle	6.00
R-0638-G4	Phenolphthalein Indicator, gal, 4-pack	165.45 *	R-0683-E	Hardness Reagent (1 drop = 10 ppm hardness as CaCO ₃), 16 oz	20.30
R-0638BR-C	Phenolphthalein Indicator, 2 oz w/ brown cap, Dropper Bottle	6.70	R-0683-F	Hardness Reagent (1 drop = 10 ppm hardness as CaCO ₃), 32 oz	30.40
R-0638G-A	Phenolphthalein Indicator, .75 oz w/ green cap, Dropper Bottle	5.00	R-0683-G	Hardness Reagent (1 drop = 10 ppm hardness as CaCO ₃), gal	60.40
R-0638G-C	Phenolphthalein Indicator, 2 oz w/ green cap, Dropper Bottle	6.70	R-0684-C	Hardness Reagent .0025M, 2 oz, Dropper Bottle	16.90
R-06380-A	Phenolphthalein Indicator, .75 oz w/ orange cap, Dropper Bottle	5.00	R-0684-E	Hardness Reagent .0025M, 16 oz	31.30
R-06380-C	Phenolphthalein Indicator, 2 oz w/ orange cap, Dropper Bottle	6.65	R-0686-E	Sulfuric Acid N, 16 oz	16.65
R-0638S-E	Phenolphthalein Indicator 1%, 16 oz	14.30	R-0686-F	Sulfuric Acid N, 32 oz	23.30
R-0638S-F	Phenolphthalein Indicator 1%, 32 oz	32.80	R-0686-G	Sulfuric Acid N, gal	47.65 *
R-0638W-C	Phenolphthalein Indicator, 2 oz w/ white cap, Dropper Bottle	6.70	R-06860-C	Sulfuric Acid N, 2 oz w/ orange cap, Dropper Bottle	6.55
R-0640-E	Reversion Acid, 16 oz	20.15	R-0686P-C	Sulfuric Acid N, 2 oz w/ purple cap, Dropper Bottle	6.55
R-0641-E	Reversion Neutralizer, 16 oz	25.50	R-0687-E	Sulfuric Acid .12N, 16 oz	15.20
R-0642-A	Copper Buffer, .75 oz, Dropper Bottle	8.85	R-0687-F	Sulfuric Acid .12N, 32 oz	23.25
R-0643-A	Thiocarbamate Reagent, .75 oz, Dropper Bottle	5.60	R-0687-F4	Sulfuric Acid .12N, 32 oz, 4-pack	83.55
R-0643-C	Thiocarbamate Reagent, 2 oz	17.50	R-0687-G	Sulfuric Acid .12N, gal	49.70 *
R-0645-C	Total Alkalinity Indicator, 2 oz, Dropper Bottle	5.70	R-0687-G4	Sulfuric Acid .12N, gal, 4-pack	175.75 *
R-0645-E	Total Alkalinity Indicator, 16 oz	19.95			

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

NUMERIC LISTING OF ALL REAGENTS (continued)

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-0687G-C	Sulfuric Acid .12N, 2 oz w/ green cap, Dropper Bottle	\$ 5.40	R-0735-E	Hydrochloric Acid .6N, 16 oz	\$ 21.30
R-0687O-C	Sulfuric Acid .12N, 2 oz w/ orange cap, Dropper Bottle	5.45	R-0735-F	Hydrochloric Acid .6N, 32 oz	27.30
R-0691-C	Sulfuric Acid Reagent, 2 oz, Dropper Bottle	15.75	R-0735G-C	Hydrochloric Acid .6N, 2 oz w/ green cap, Dropper Bottle	11.90
R-0691-E	Sulfuric Acid Reagent, 16 oz	32.45	R-0735LB-C	Hydrochloric Acid .6N, 2 oz w/ light blue cap, Dropper Bottle	11.85
R-0692-F	Silver Nitrate N/7.1, 32 oz	75.50	R-0736-E	Sulfuric Acid .6N, 16 oz	14.85
R-0697-C	Thiosulfate N/10, 2 oz, Dropper Bottle	5.60	R-0736-F	Sulfuric Acid .6N, 32 oz	20.00
R-0697-E	Thiosulfate N/10, 16 oz	9.55	R-0736BR-C	Sulfuric Acid .6N, 2 oz w/ brown cap, Dropper Bottle	6.80
R-0697-F	Thiosulfate N/10, 32 oz	13.50	R-0736G-C	Sulfuric Acid .6N, 2 oz w/ green cap, Dropper Bottle	6.65
R-0697-G4	Thiosulfate N/10, gal, 4-pack	178.10	R-0736O-C	Sulfuric Acid .6N, 2 oz w/ orange cap, Dropper Bottle	6.75
R-0698-C	Silver Nitrate N/10, 2 oz, Dropper Bottle	12.50	R-0737-C	Hydrochloric Acid 3N, 2 oz, Dropper Bottle	11.85
R-0698-F	Silver Nitrate N/10, 32 oz	42.75	R-0737-F	Hydrochloric Acid 3N, 32 oz	30.90
R-0698-F4	Silver Nitrate N/10, 32 oz, 4-pack	166.50	R-0738-E	Hydrochloric Acid 1N, 16 oz	10.74
R-0699-C	Iodide Iodate Reagent (1 drop = 10 ppm Na ₂ SO ₃), 2 oz, Dropper Bottle	6.40	R-0738-F	Hydrochloric Acid 1N, 32 oz	14.25
R-0699-E	Iodide Iodate Reagent (1 drop = 10 ppm Na ₂ SO ₃), 16 oz	19.30	R-0739-C	Sodium Hydroxide Reagent (1 drop = 0.5 g/100 mL HCl), 2 oz, Dropper Bottle	18.60
R-0699-F	Iodide Iodate Reagent (1 drop = 10 ppm Na ₂ SO ₃), 32 oz	30.00	R-0739-E	Sodium Hydroxide Reagent (1 drop = 0.5 g/100 mL HCl), 16 oz	56.35
R-0699-G	Iodide Iodate Reagent (1 drop = 10 ppm NN ₂ SO ₃), gal	64.50	R-0740-C	Sodium Hydroxide Reagent (1 drop = 1 g/100 mL H ₂ SO ₄ , H ₃ PO ₄ , H ₃ NSO ₃), 2 oz, Dropper Bottle	14.05
R-0700-C	Thiosulfate Reagent (chlorine titrant), 2 oz, Dropper Bottle	16.35	R-0742-C	Permanganate Reagent (25 mL sample, 1 drop = 25 ppm NaNO ₂), 2 oz	14.50
R-0700-E	Thiosulfate Reagent (chlorine titrant), 16 oz	29.95	R-0742-E	Permanganate Reagent (25 mL sample, 1 drop = 25 ppm NaNO ₂), 16 oz	30.25
R-0706-C	Silver Nitrate Reagent (25 mL sample, 1 drop = 10 ppm Cl ⁻), 2 oz, Dropper Bottle	13.00	R-0747-C	Sodium Thiosulfate, 2 oz, Dropper Bottle	14.85
R-0706-E	Silver Nitrate Reagent (25 mL sample, 1 drop = 10 ppm Cl ⁻), 16 oz	59.05	R-0755-C	Magnesium Chloride Reagent, 2 oz, Dropper Bottle	14.75
R-0706-F	Silver Nitrate Reagent (25 mL sample, 1 drop = 10 ppm Cl ⁻), 32 oz	104.50	R-0755-E	Magnesium Chloride Reagent, 16 oz	26.75
R-0706-F4	Silver Nitrate Reagent (25 mL sample, 1 drop = 10 ppm Cl ⁻), 32 oz, 4-pack	376.00	R-0756-G	Causticity Reagent #1, gal	71.10
R-0709-C	Hydrochloric Acid Reagent, 2 oz, Dropper Bottle	17.15	R-0757-G	Causticity Reagent #2, gal	56.15 *
R-0709-E	Hydrochloric Acid Reagent, 16 oz	37.90	R-0760-G	Hydrochloric Acid N/50, gal	34.35 *
R-0711-C	Barium Chloride Solution 20%, 2 oz	6.30	R-0765-I	Potassium Iodide Crystals, 10 g	10.85
R-0711-E	Barium Chloride Solution 20%, 16 oz	21.05	R-0765-II	Potassium Iodide Crystals, 50 g	21.55
R-0711-F	Barium Chloride Solution 20%, 32 oz	32.50	R-0765-J	Potassium Iodide Crystals, .25 lb	36.30
R-0716-C	Sodium Carbonate N/10, 2 oz, Dropper Bottle	14.60	R-0765-K	Potassium Iodide Crystals, 1 lb	132.00
R-0720-E	Barium Chloride Solution 30%, 16 oz	35.50	R-0766-C	Lead Reagent, 2 oz	14.20 *
R-0724-C	Hydrochloric Acid .12N, 2 oz, Dropper Bottle	5.90	R-0768-C	Iodine Indicator, 2 oz, Dropper Bottle	10.55 *
R-0724-E	Hydrochloric Acid .12N, 16 oz	14.10	R-0768-E	Iodine Indicator, 16 oz	35.50 *
R-0724-F	Hydrochloric Acid .12N, 32 oz	21.10	R-0769-C	Iodine Buffer, 2 oz, Dropper Bottle	11.65
R-0724-F4	Hydrochloric Acid .12N, 32 oz, 4-pack	76.20	R-0770-C	Oxone Reagent, 2 oz, Dropper Bottle	20.30
R-0725-I	Acid Starch Indicator Powder, 10 g	6.20	R-0771-C	Lead Buffer, 2 oz	11.60
R-0725-J	Acid Starch Indicator Powder, .25 lb	10.75	R-0772-E	Iodide Solution, 16 oz	34.30
R-0725-K	Acid Starch Indicator Powder, 1 lb	27.20	R-0774-C	Thiosulfate Reagent (25 mL sample, 1 drop = 5 ppm H ₂ O ₂), 2 oz, Dropper Bottle	15.15
R-0726-J	Sulfamic Acid Powder (technical grade), .25 lb	19.55	R-0774-E	Thiosulfate Reagent (25 mL sample, 1 drop = 5 ppm H ₂ O ₂), 16 oz	28.25
R-0729-C	Sulfuric Acid 50%, 2 oz	6.40	R-0775-E	Hardness Buffer, 16 oz	19.55
R-0729-C-DB	Sulfuric Acid 50%, 2 oz, Dropper Bottle	6.65	R-0780-C	Thiosulfate Reagent (50 mL sample, 1 drop = .2 ppm O ₂), 2 oz, Dropper Bottle	11.25
R-0729-E	Sulfuric Acid 50%, 16 oz	21.10	R-0781-II	Acid Sulfate, 50 g	9.25
R-0730-C	Permanganate Reagent (25 mL sample, 1 drop = 100 ppm NaNO ₂), 2 oz	6.85	R-0781-J	Acid Sulfate, .25 lb	13.30
R-0730-E	Permanganate Reagent (25 mL sample, 1 drop = 100 ppm NaNO ₂), 16 oz	16.45	R-0781-K	Acid Sulfate, 1 lb	28.30
R-0730-F	Permanganate Reagent (25 mL sample, 1 drop = 100 ppm NaNO ₂), 32 oz	24.90	R-0782-C	Thiosulfate Reagent (50 mL sample, 1 drop = 1.0 ppm O ₂), 2 oz, Dropper Bottle	19.10
R-0730-F4	Permanganate Reagent (25 mL sample, 1 drop = 100 ppm NaNO ₂), 32 oz, 4-pack	92.95	R-0783-C	Thiosulfate Reagent, 2 oz, Dropper Bottle	13.90
R-0733-C	Permanganate Reagent (25 mL sample, 1 drop = 50 ppm NaNO ₂), 2 oz	7.05	R-0784-C	ODA Indicator, 2 oz, Dropper Bottle	20.05
R-0733-E	Permanganate Reagent (25 mL sample, 1 drop = 50 ppm NaNO ₂), 16 oz	18.60			
R-0733-F	Permanganate Reagent (25 mL sample, 1 drop = 50 ppm NaNO ₂), 32 oz	24.80			

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

NUMERIC LISTING OF ALL REAGENTS (continued)

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-0785-C	Hydrochloric Acid N/20, 2 oz, Dropper Bottle	\$ 11.90	R-0820-E	CAN Solution (5 mL sample, 1 drop = 40 ppm NaNO ₂), 16 oz	\$ 35.50
R-0786-I	Glutaraldehyde Reagent #1, 10 g	26.30 *	R-0820-F	CAN Solution (5 mL sample, 1 drop = 40 ppm NaNO ₂), 32 oz	56.90
R-0787-A	Glutaraldehyde Reagent #2, .75 oz, Dropper Bottle	9.85	R-0820-G	CAN Solution (5 mL sample, 1 drop = 40 ppm NaNO ₂), gal	176.35 *
R-0789-C	Thiosulfate Reagent (50 mL sample, 1 drop = 5 ppm I ₂), 2 oz, Dropper Bottle	17.00	R-0824-E	Thiosulfate N, 16 oz	58.65
R-0794-E	Thiosulfate Reagent (25 mL sample, 1 drop = .5 ppm CrO ₄), 16 oz	41.35	R-0830-C	Polymer Reagent #1, 2 oz	27.90
R-0800-I	CAS Indicator Powder, 10 g	18.70	R-0830-E	Polymer Reagent #1, 16 oz	67.10
R-0802P-I	Xylenol Orange Indicator Powder, 10 g	9.00	R-0831-C	Polymer Reagent #2, 2 oz	26.90
R-0802P-J	Xylenol Orange Indicator Powder, .25 lb	32.90	R-0831-E	Polymer Reagent #2, 16 oz	64.70
R-0802P-K	Xylenol Orange Indicator Powder, 1 lb	100.95	R-0833-C	DI Water, 2 oz, Dispenser Cap	7.75
R-0803-C	Phosphonate Titrating Solution (for drop-count titrations), 2 oz, Dropper Bottle	6.70	R-0833-F	DI Water, 32 oz	12.60
R-0803-E	Phosphonate Titrating Solution (for drop-count titrations), 16 oz	24.50	R-0833-G	DI Water, gal	18.10
R-0803-F	Phosphonate Titrating Solution (for drop-count titrations), 32 oz	36.15	R-0834-C	pH Soaker Solution (pH 4 Buffer with no dye), 2 oz, Dispenser Tip	6.15
R-0803-G	Phosphonate Titrating Solution (for drop-count titrations), gal	80.50	R-0834-E	pH Soaker Solution (pH 4 Buffer with no dye), 16 oz	17.80
R-0804-DD	Demineralizer Bottle, 8 oz	19.45	R-0837-I	Sulfamic Acid Powder (reagent grade), 10 g	17.00
R-0805-C	Fluoride Masking Agent, 2 oz, Dropper Bottle	8.30	R-0839-C	Zinc Reagent #1, 2 oz	14.05
R-0805-E	Fluoride Masking Agent, 16 oz	29.65	R-0840-I	Zinc Reagent #2, 10 g	10.40
R-0806-C	Hardness Reagent (25 mL sample, 1 drop = 2 ppm hardness as CaCO ₃), 2 oz, Dropper Bottle	6.35	R-0841-C	Zinc Reagent #3, 2 oz, Dropper Bottle	16.25
R-0806-E	Hardness Reagent (25 mL sample, 1 drop = 2 ppm hardness as CaCO ₃), 16 oz	15.90	R-0841-E	Zinc Reagent #3, 16 oz	62.75
R-0806-F	Hardness Reagent (25 mL sample, 1 drop = 2 ppm hardness as CaCO ₃), 32 oz	22.80	R-0843-Z	DPD Tablet #1, 1,000-pack	174.00
R-0806-G	Hardness Reagent (25 mL sample, 1 drop = 2 ppm hardness as CaCO ₃), gal	46.70	R-0844-Z	DPD Tablet #3, 1,000-pack	196.85
R-0807-C	Silver Nitrate Reagent (25 mL sample, 1 drop = 2 ppm Cl ⁻), 2 oz, Dropper Bottle	12.25	R-0845-C	Mercuric Nitrate Titrating Solution, 2 oz, Dropper Bottle	17.00
R-0807-E	Silver Nitrate Reagent (25 mL sample, 1 drop = 2 ppm Cl ⁻), 16 oz	31.75	R-0846-C	PAO Reagent, 2 oz, Dropper Bottle	35.15 *
R-0808-C	Iodide Iodate Reagent (25 mL sample, 1 drop = 2 ppm Na ₂ SO ₃), 2 oz, Dropper Bottle	6.20	R-0846-E	PAO Reagent, 16 oz	178.05 *
R-0808-E	Iodide Iodate Reagent (25 mL sample, 1 drop = 2 ppm Na ₂ SO ₃), 16 oz	17.10	R-0847-C	SEQ Reagent (25 mL sample, 1 drop = 1 ppm Organo-Phosphorus SEQ Agent), 2 oz, Dropper Bottle	19.20
R-0808-F	Iodide Iodate Reagent (25 mL sample, 1 drop = 2 ppm Na ₂ SO ₃), 32 oz	24.75	R-0847-E	SEQ Reagent (25 mL sample, 1 drop = 1 ppm Organo-Phosphorus SEQ Agent), 16 oz	26.80
R-0808-G	Iodide Iodate Reagent (25 mL sample, 1 drop = 2 ppm Na ₂ SO ₃), gal	56.90	R-0848-Z	Phenol Red Tablet, 1,000-pack	206.00
R-0809-II	TDS Resin, 50 g	15.55	R-0851-A	Iron Reagent #1, .75 oz	6.40
R-0810-C	Sodium Carbonate .24N, 2 oz, Dropper Bottle	7.25	R-0851-C	Iron Reagent #1, 2 oz	9.25
R-0810-E	Sodium Carbonate .24N, 16 oz	26.00	R-0851-E	Iron Reagent #1, 16 oz	52.90
R-0811-C	Sulfuric Acid .24N, 2 oz, Dropper Bottle	8.15	R-0852-A	Iron Reagent #2, .75 oz	5.80
R-0811-E	Sulfuric Acid .24N, 16 oz	31.10	R-0852-C	Iron Reagent #2, 2 oz	8.00
R-0813-C	Glycine Solution, 2 oz	12.50	R-0852-E	Iron Reagent #2, 16 oz	24.40
R-0814-C	EDTA Solution, 2 oz	11.85	R-0854-A	Total Hardness Reagent, .75 oz, Dropper Bottle	6.00
R-0815-C	FAS Titrating Solution, 2 oz, Dropper Bottle	23.95	R-0854-C	Total Hardness Reagent, 2 oz, Dropper Bottle	11.20
R-0817-C	Iodide Iodate Reagent (25 mL sample, 1 drop = 10 ppm SO ₃), 2 oz, Dropper Bottle	13.60	R-0854-E	Total Hardness Reagent, 16 oz	33.10
R-0817-E	Iodide Iodate Reagent (25 mL sample, 1 drop = 10 ppm SO ₃), 16 oz	28.05	R-0860-A	Copper Reagent #1, .75 oz	5.60
R-0819-A	Ferriin Indicator, .75 oz, Dropper Bottle	10.15	R-0860-C	Copper Reagent #1, 2 oz	8.15
R-0819-C	Ferriin Indicator, 2 oz, Dropper Bottle	18.10	R-0860-E	Copper Reagent #1, 16 oz	23.75
R-0819-E	Ferriin Indicator, 16 oz	51.90	R-0861-A	Copper Reagent #2, .75 oz	5.85
R-0820-C	CAN Solution (5 mL sample, 1 drop = 40 ppm NaNO ₂), 2 oz, Dropper Bottle	7.80	R-0861-C	Copper Reagent #2, 2 oz	8.70
			R-0861-E	Copper Reagent #2, 16 oz	23.30
			R-0866-C	SEQ Reagent (25 mL sample, 1 drop = 10 ppm Organo-Phosphorus SEQ Agent), 2 oz, Dropper Bottle	23.85
			R-0866-E	SEQ Reagent (25 mL sample, 1 drop = 10 ppm Organo-Phosphorus SEQ Agent), 16 oz	48.85
			R-0868-1K-E	Conductivity Solution 1000 µS (492 ppm NaCl), 16 oz	11.10
			R-0868-1K-F	Conductivity Solution 1000 µS (492 ppm NaCl), 32 oz	15.65
			R-0868-1K-G	Conductivity Solution 1000 µS (492 ppm NaCl), gal	44.50

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

NUMERIC LISTING OF ALL REAGENTS (continued)

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-0868-25C-C	Conductivity Solution 2500 µS (1273 ppm NaCl), 2 oz, Dispenser Tip	\$ 5.10	R-0896-C	Sulfuric Acid, 2 oz, Dropper Bottle	\$ 11.20
R-0868-25C-D	Conductivity Solution 2500 µS (1273 ppm NaCl), 4 oz	6.30	R-0899-G	Hydrochloric Acid N/30, gal	100.70 *
R-0868-25C-E	Conductivity Solution 2500 µS (1273 ppm NaCl), 16 oz	10.95	R-0900-I	Molybdenum Indicator Powder, 10 g	12.85
R-0868-25C-F	Conductivity Solution 2500 µS (1273 ppm NaCl), 32 oz	15.65	R-0900-I-12	Molybdenum Indicator Powder, 10 g, 12-pack	132.10
R-0868-25C-G	Conductivity Solution 2500 µS (1273 ppm NaCl), gal	43.85	R-0901-C	Molybdenum Indicator Solvent, 2 oz	6.55 *
R-0868-39C-C	Conductivity Solution 3900 µS (2027 ppm NaCl), 2 oz, Dispenser Tip	7.80	R-0901-C-12	Molybdenum Indicator Solvent, 2 oz, 12-pack	70.25 *
R-0868-39C-F	Conductivity Solution 3900 µS (2027 ppm NaCl), 32 oz	15.75	R-0905-C	Citrate Buffer, 2 oz	17.55
R-0868-50-F	Conductivity Solution 50 µS (23.4 ppm NaCl), 32 oz	15.80	R-0906-I	Periodate Powder, 10 g	24.15
R-0868-5C-E	Conductivity Solution 500 µS (242 ppm NaCl), 16 oz	11.05	R-0911-I	Total Chelant Indicator Powder, 10 g	13.70
R-0868-5C-F	Conductivity Solution 500 µS (242 ppm NaCl), 32 oz	15.80	R-0912-C	Total Chelant Titrating Solution, 2 oz, Dropper Bottle	16.95
R-0868-5C-G	Conductivity Solution 500 µS (242 ppm NaCl), gal	57.00	R-0920-F	Hardness Reagent .001M, 32 oz	30.40
R-0868-5K-F	Conductivity Solution 5000 µS (2634 ppm NaCl), 32 oz	15.80	R-0920-G	Hardness Reagent .001M, gal	60.10
R-0868-5K-G	Conductivity Solution 5000 µS (2634 ppm NaCl), gal	48.10	R-0921-I	Sulfanilamide Powder, 10 g	33.15
R-0869-C	Neutralizing Amine Titrating Solution, 2 oz, Dropper Bottle	11.55	R-0922-H	Zinc Powder, 25 g	25.65 †
R-0870-I	DPD Powder, 10 g	9.00	R-0923-I	NED Powder, 10 g	12.75
R-0870-I-12	DPD Powder, 10 g, 12-pack	98.05	R-0925-C	PAA Reagent #1, 2 oz	10.10
R-0870-J	DPD Powder, .25 lb	42.10	R-0926-A	PAA Reagent #2, .75 oz, Dropper Bottle	14.35
R-0870-K	DPD Powder, 1 lb	139.05	R-0927-C	PAA Reagent #3, 2 oz	8.40
R-0871-C	FAS-DPD Titrating Reagent (for chlorine), 2 oz, Dropper Bottle	12.75	R-0928-C	PAA Reagent #4, 2 oz, Dropper Bottle	11.55
R-0871-C-12	FAS-DPD Titrating Reagent (for chlorine), 2 oz, Dropper Bottle, 12-pack	139.00	R-0929-C	PAA Titrating Solution, 2 oz, Dropper Bottle	20.80
R-0871-E	FAS-DPD Titrating Reagent (for chlorine), 16 oz	28.95	R-0950-C	Complexing Reagent, 2 oz	15.35
R-0871-F	FAS-DPD Titrating Reagent (for chlorine), 32 oz	42.75	R-0950-E	Complexing Reagent, 16 oz	30.90
R-0872-C	FAS-DPD Titrating Reagent (for bromine), 2 oz, Dropper Bottle	13.45	R-0951-C	QAC Titrating Solution (low range), 2 oz, Dropper Bottle	17.15
R-0872-C-12	FAS-DPD Titrating Reagent (for bromine), 2 oz, Dropper Bottle, 12-pack	145.30	R-0951-E	QAC Titrating Solution (low range), 16 oz	37.50
R-0874-C	A.C. Complete Reagent, 2 oz, Dropper Bottle	23.55	R-0953-A	Boron Reagent #1, .75 oz, Dropper Bottle	8.25
R-0875-E	FAS-DPD Titrating Reagent (for buret titrations), 16 oz	35.40	R-0954-A	Boron Reagent #2, .75 oz, Dropper Bottle	9.80
R-0879-C	NTA Cosolvent Solution, 2 oz	7.85	R-0955-A	Boron Reagent #3, .75 oz, Dropper Bottle	6.50
R-0879-F	NTA Cosolvent Solution, 32 oz	17.80	R-0956-I	Boron Reagent #4, 10 g	5.90
R-0880-E	Phosphonate Titrating Solution (for buret titrations), 16 oz	34.90	R-0957-C	Boron Reagent #5, 2 oz, Dropper Bottle	20.60
R-0881-A	Toluidine Blue O Indicator, .75 oz, Dropper Bottle	12.10	R-0958-II	Boron Reagent #6, 50 g	8.40
R-0881-C	Toluidine Blue O Indicator, 2 oz, Dropper Bottle	16.00	R-0959-C	Boron Titrating Reagent (50 mL sample, 1 drop = .2 ppm B), 2 oz, Dropper Bottle	11.95
R-0881-E	Toluidine Blue O Indicator, 16 oz	34.95	R-0960-C	Boron Titrating Reagent (50 mL sample, 1 drop = .5 ppm B), 2 oz, Dropper Bottle	15.65
R-0883-E	QAC Titrating Solution (25 mL sample, 1 drop = 2 ppm QAC), 16 oz	67.15	R-0968-1K-C	TDS Solution (equivalent to 1000 ppm/442™), 2 oz, Dispenser Tip	5.95
R-0884-C	QAC Titrating Solution (high range), 2 oz, Dropper Bottle	25.85	R-0968-1K-F	TDS Solution (equivalent to 1000 ppm/442™), 32 oz	20.95
R-0884-C-12	QAC Titrating Solution (high range), 2 oz, Dropper Bottle, 12-pack	280.30	R-1003B-C	Acid Meta Cresol Purple Indicator, 2 oz	13.25
R-0885-C	Thiosulfate Reagent (2 mL sample, 1 drop = 0.5% H ₂ O ₂ ; 1 mL sample, 1 drop = 1% H ₂ O ₂), 2 oz, Dropper Bottle	19.75	R-1003C-E	Benzo Yellow Indicator, 16 oz	34.20
R-0887-C	Molybdenum Standard 20 ppm, 2 oz	8.85	R-1003E-C	Bromocresol Green Indicator, 2 oz	10.40
R-0887-C-12	Molybdenum Standard 20 ppm, 2 oz, 12-pack	95.60	R-1003E-F	Bromocresol Green Indicator, 16 oz	22.25
R-0890-C	Molybdenum Buffer Solution, 2 oz	11.80	R-1003E-F	Bromocresol Green Indicator, 32 oz	35.75
R-0890-C-12	Molybdenum Buffer Solution, 2 oz, 12-pack	127.44	R-1003F-C	Methyl Red Indicator, 2 oz	11.00
R-0890-E	Molybdenum Buffer Solution, 16 oz	44.40	R-1003F-E	Methyl Red Indicator, 16 oz	19.20
R-0891-C	Molybdenum Indicator Solution, 2 oz	11.95 *	R-1003F-F	Methyl Red Indicator, 32 oz	29.65
R-0891-C-12	Molybdenum Indicator Solution, 2 oz, 12-pack	129.06 *	R-1003G-A	Chlorphenol Red Indicator, .75 oz	9.40
R-0891-E	Molybdenum Indicator Solution, 16 oz	57.75 *	R-1003G-C	Chlorphenol Red Indicator, 2 oz	12.10
R-0892-C	Molybdenum Titrating Solution, 2 oz, Dropper Bottle	9.85	R-1003G-E	Chlorphenol Red Indicator, 16 oz	24.65
R-0892-C-12	Molybdenum Titrating Solution, 2 oz, Dropper Bottle, 12-pack	106.45	R-1003H-A	Bromthymol Blue Indicator, .75 oz	8.80
R-0892-E	Molybdenum Titrating Solution, 16 oz	38.60	R-1003H-C	Bromthymol Blue Indicator, 2 oz	11.25
R-0893-C	NTA Titrating Reagent, 2 oz, Dropper Bottle	16.90			

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

† No UPS and requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

NUMERIC LISTING OF ALL REAGENTS (continued)

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-1003H-E	Bromthymol Blue Indicator, 16 oz	\$ 20.65	R-1099-04-F	Buffer Solution pH 4.0, 32 oz	\$ 15.15
R-1003H-F	Bromthymol Blue Indicator, 32 oz	31.25	R-1099-04-G	Buffer Solution pH 4.0, gal	32.85
R-1003J-A	pH Indicator Solution (for Midget & Slide comparators), Phenol Red, .75 oz	4.95	R-1099-07-C	Buffer Solution pH 7.0, 2 oz, Dispenser Tip	6.40
R-1003J-C	pH Indicator Solution (for Midget & Slide comparators), Phenol Red, 2 oz	6.65	R-1099-07-D	Buffer Solution pH 7.0, 4 oz	7.70
R-1003J-C-12	pH Indicator Solution (for Midget & Slide comparators), Phenol Red, 2 oz, 12-pack	72.15	R-1099-07-E	Buffer Solution pH 7.0, 16 oz	9.80
R-1003J-D	pH Indicator Solution (for Midget & Slide comparators), Phenol Red, 4 oz	10.90	R-1099-07-F	Buffer Solution pH 7.0, 32 oz	15.25
R-1003J-E	pH Indicator Solution (for Midget & Slide comparators), Phenol Red, 16 oz	17.85	R-1099-07-G	Buffer Solution pH 7.0, gal	33.60
R-1003J-F	pH Indicator Solution (for Midget & Slide comparators), Phenol Red, 32 oz	26.50	R-1099-08-E	Buffer Solution pH 8.0, 16 oz	42.65
R-1003J-G	pH Indicator Solution (for Midget & Slide comparators), Phenol Red, gal	65.60	R-1099-09-E	Buffer Solution pH 9.0, 16 oz	15.80
R-1003J-G4	pH Indicator Solution (for Midget & Slide comparators), Phenol Red, gal, 4-pack	231.10	R-1099-10-C	Buffer Solution pH 10.0, 2 oz, Dispenser Tip	6.40
R-1003K-A	Cresol Red Indicator, .75 oz	9.50	R-1099-10-D	Buffer Solution pH 10.0, 4 oz	7.70
R-1003K-C	Cresol Red Indicator, 2 oz	11.70	R-1099-10-E	Buffer Solution pH 10.0, 16 oz	9.80
R-1003K-E	Cresol Red Indicator, 16 oz	20.80	R-1099-10-F	Buffer Solution pH 10.0, 32 oz	15.25
R-1003K-F	Cresol Red Indicator, 32 oz	30.95	R-1099-10-G	Buffer Solution pH 10.0, gal	33.60
R-1003K-G	Cresol Red Indicator, gal	69.90	R-1099-11-E	Buffer Solution pH 11.0, 16 oz	42.65
R-1003L-A	Meta Cresol Purple Indicator, .75 oz	8.20	R-1099-12-E	Buffer Solution pH 12.0, 16 oz	21.15
R-1003L-C	Meta Cresol Purple Indicator, 2 oz	10.35	R-1305J-D	Dilute Hydrochloric Acid, 4 oz	12.25
R-1003L-E	Meta Cresol Purple Indicator, 16 oz	21.00	R-1305J-E	Dilute Hydrochloric Acid, 16 oz	15.15
R-1003L-F	Meta Cresol Purple Indicator, 32 oz	32.95	R-1305K-F	Thiocyanate Reagent, 32 oz	30.30
R-1003M-A	Thymol Blue Indicator, .75 oz	7.70	R-1305L-C	Permanganate N/5, 2 oz	15.15
R-1003M-C	Thymol Blue Indicator, 2 oz	10.45	R-1305O-II	Ammonium Persulfate, 50 g	23.65
R-1003M-E	Thymol Blue Indicator, 16 oz	20.65	R-1305Q-II	Silica Reagent #4, 50 g	11.50
R-1003N-C	Phthalein Red Indicator, 2 oz	10.40	R-1305Q-J	Silica Reagent #4, .25 lb	19.35
R-1003N-E	Phthalein Red Indicator, 16 oz	25.30	R-1305U-C	Silica Reagent #3, 2 oz	9.35 *
R-1003O-C	Tolyl Red Indicator, 2 oz	13.10	R-1305U-C-DB	Silica Reagent #3, 2 oz, Dropper Bottle	9.70 *
R-1003O-E	Tolyl Red Indicator, 16 oz	40.05	R-1305U-E	Silica Reagent #3, 16 oz	28.75 *
R-1003P-C	Acyl Red Indicator, 2 oz	12.45	R-1305Y-C	Dilute Ammonia 1:1, 2 oz	21.20
R-1003P-E	Acyl Red Indicator, 16 oz	25.20	R-1305Z-C	Dimethylglyoxime Reagent, 2 oz	18.85
R-1003Q-C	Parazo Orange Indicator, 2 oz	11.20	R-1305Z-E	Dimethylglyoxime Reagent, 16 oz	39.05
R-1003Q-E	Parazo Orange Indicator, 16 oz	23.00	R-1306E-C	Hydroxylamine Reagent, 2 oz	19.45
R-1003R-C	Acyl Blue Indicator, 2 oz	15.90	R-1306G-C	Phenanthroline Reagent, 2 oz	16.50
R-1003S-C	Benzo Red Indicator, 2 oz	12.90	R-1306G-F	Phenanthroline Reagent, 32 oz	69.05
R-1003S-E	Benzo Red Indicator, 16 oz	27.05	R-1306T-C	Silica Reagent #1, 2 oz	6.20
R-1003T-C	Thymol Red Indicator, 2 oz	10.60	R-1306T-E	Silica Reagent #1, 16 oz	16.15
R-1003T-E	Thymol Red Indicator, 16 oz	23.45	R-1306T-F	Silica Reagent #1, 32 oz	25.00
R-1003T-F	Thymol Red Indicator, 32 oz	43.10	R-1306U-C	Silica Reagent #2, 2 oz	6.45
R-1003U-A	Long Range Indicator, .75 oz	6.45	R-1306U-E	Silica Reagent #2, 16 oz	19.85
R-1003U-A-DB	Long Range Indicator, .75 oz, Dropper Bottle	6.55	R-1306U-F	Silica Reagent #2, 32 oz	35.50
R-1003U-C	Long Range Indicator, 2 oz	9.05	R-7008-G	Sodium Thiosulfate 2%, gal	41.00
R-1003U-C-DB	Long Range Indicator, 2 oz, Dropper Bottle	9.15	R-7022-C	Conductivity Neutralizing Solution, 2 oz, Dropper Bottle	13.80
R-1003U-E	Long Range Indicator, 16 oz	26.15	R-7022-E	Conductivity Neutralizing Solution, 16 oz	15.90
R-1003U-F	Long Range Indicator, 32 oz	37.10	R-7022-G	Conductivity Neutralizing Solution, gal	68.95 *
R-1003U-G	Long Range Indicator, gal	80.00 *	R-7035-F	EDTA Standard Solution .005M, 32 oz	32.85
R-1003W-C	BTB/MCP Indicator, 2 oz	11.25	R-7046-J	Gallic Acid, .25 lb	56.45
R-1099-02-E	Buffer Solution pH 2.0, 16 oz	45.50	R-7046-K	Gallic Acid, 1 lb	175.95
R-1099-04-C	Buffer Solution pH 4.0, 2 oz, Dispenser Tip	6.40	R-7054-G	Amperometric Phosphate Buffer, gal	131.85
R-1099-04-D	Buffer Solution pH 4.0, 4 oz	7.80	R-7061-C	Sodium Thiosulfate 10%, 2 oz, Dropper Bottle	15.95
R-1099-04-E	Buffer Solution pH 4.0, 16 oz	9.80	R-8001A	Chlorine F&T DPD/P - Reagent A, 10 g	7.10
			R-8001B	Chlorine F&T DPD/P - Reagent B, .75 oz, Dropper Bottle	7.15
			R-8002A	Bromine T DPD/P - Reagent A, 10 g	7.10

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

NUMERIC LISTING OF ALL REAGENTS (continued)

REAGENT NO.	REAGENT DESCRIPTION	PRICE	REAGENT NO.	REAGENT DESCRIPTION	PRICE
R-8002B	Bromine T DPD/P - Reagent B, .75 oz, Dropper Bottle	\$ 7.15	R-8019D	Zinc 3 - Reagent D, .75 oz, Dropper Bottle	\$ 4.05
R-8003A	Molybdenum 3.3 - Reagent A, .75 oz	5.80	R-8020A	Hydrogen Peroxide 2 - Reagent A, .75 oz, Dropper Bottle	3.85
R-8003B	Molybdenum 3.3 - Reagent B, .75 oz	4.05	R-8020B	Hydrogen Peroxide 2 - Reagent B, .75 oz, Dropper Bottle	4.00
R-8004A	Phosphate 70 - Reagent A, .75 oz	5.50	R-8020C	Hydrogen Peroxide 2 - Reagent C, .75 oz, Dropper Bottle	5.25
R-8005A	Phosphate 3 - Reagent A, .75 oz	4.45	R-8021A	Nitrate 150 - Reagent A, 10 g	4.75
R-8005B	Phosphate 3 - Reagent B, 10 g	12.10	R-8021B	Nitrate 150 - Reagent B, .75 oz	8.15
R-8006A	Polymer - Reagent A, .75 oz	4.45	R-8022A	Hardness Total 4 - Reagent A, .75 oz	4.85
R-8006B	Polymer - Reagent B, .75 oz	4.35	R-8022B	Hardness Total 4 - Reagent B, .75 oz	4.15
R-8007A	Silica 60 - Reagent A, .75 oz	4.35	R-8022C	Hardness Total 4 - Reagent C, .75 oz, Dropper Bottle	6.40
R-8007B	Silica 60 - Reagent B, .75 oz	4.80	R-8022D	Hardness Total 4 - Reagent D, .75 oz, Dropper Bottle	4.15
R-8007C	Silica 60 - Reagent C, .75 oz	4.55	R-8023A	Sodium Chloride (Salt) 80 - Reagent A, .75 oz, Dropper Bottle	4.15
R-8008A	Silica 4 - Reagent A, .75 oz	4.35	R-8023B	Sodium Chloride (Salt) 80 - Reagent B, .75 oz, Dropper Bottle	3.65
R-8008B	Silica 4 - Reagent B, .75 oz	4.80	R-8024A	Alkalinity Total 250 - Reagent A, .75 oz, Dropper Bottle	3.65
R-8008C	Silica 4 - Reagent C, .75 oz	4.55	R-8024B	Alkalinity Total 250 - Reagent B, .75 oz	4.95
R-8008D	Silica 4 - Reagent D, 10 g	12.10	R-8025A	Sulfide 1 - Reagent A, .75 oz	4.90
R-8009A	Iron Total 4 - Reagent A, .75 oz	5.45	R-8025B	Sulfide 1 - Reagent B, .75 oz, Dropper Bottle	7.30
R-8009B	Iron Total 4 - Reagent B, .75 oz	4.35	R-8025C	Sulfide 1 - Reagent C, .75 oz	6.75
R-8010A	Iron Ferrous 3 - Reagent A, .5 oz	4.55	R-8026A	Hardness Calcium 4 - Reagent A, .75 oz	4.85
R-8010B	Iron Ferrous 3 - Reagent B, .75 oz, Dispenser Tip	4.65	R-8026B	Hardness Calcium 4 - Reagent B, .75 oz	4.15
R-8011A	Iron Total 0.3 - Reagent A, .75 oz	4.25	R-8026C	Hardness Calcium 4 - Reagent C, .75 oz, Dropper Bottle	6.40
R-8011B	Iron Total 0.3 - Reagent B, .75 oz	42.60	R-8027A	pH 6.5-8.5 - Reagent A, .75 oz	7.15
R-8012A	Copper Total 3 - Reagent A, .75 oz	4.40	R-8028A	Molybdenum 60 - Reagent A, 10 g	6.95
R-8012B	Copper Total 3 - Reagent B, .75 oz	4.50	R-8028B	Molybdenum 60 - Reagent B, .75 oz	5.15
R-8013A	Copper Free 0.2 - Reagent A, .75 oz, Dropper Bottle	4.15	R-8028C	Molybdenum 60 - Reagent C, .75 oz	4.45
R-8013B	Copper Free 0.2 - Reagent B, .75 oz, Dropper Bottle	4.20	R-8028D	Molybdenum 60 - Reagent D, 10 g	6.35
R-8013C	Copper Free 0.2 - Reagent C, .75 oz	4.40	R-8029A	Hardness Total 500 - Reagent A, .75 oz	8.55
R-8013D	Copper Free 0.2 - Reagent D, .75 oz	4.25	R-8029B	Hardness Total 500 - Reagent B, .75 oz	8.40
R-8013E	Copper Free 0.2 - Reagent E, 10 g	6.05	R-8029C	Hardness Total 500 - Reagent C, .75 oz	5.25
R-8014A	Phosphonate 30 - Reagent A, 10 g	6.65	R-8030A	Hardness Calcium 800 - Reagent A, .75 oz	6.45
R-8014B	Phosphonate 30 - Reagent B, 10 g	12.10	R-8030B	Hardness Calcium 800 - Reagent B, .75 oz	6.50
R-8014C	Phosphonate 30 - Reagent C, .75 oz	4.15	R-8030C	Hardness Calcium 800 - Reagent C, .75 oz	7.35
R-8015A	Hydrazine 1.5 - Reagent A, .75 oz	4.30	R-8030D	Hardness Calcium 800 - Reagent D, .75 oz	6.20
R-8015B	Hydrazine 1.5 - Reagent B, 10 g	31.70	R-8031A	Monopersulfate 10 - Reagent A, 10 g	7.10
R-8016A	Oxygen Scavenger - Reagent A, .75 oz	5.05	R-8031B	Monopersulfate 10 - Reagent B, .75 oz, Dropper Bottle	7.15
R-8016B	Oxygen Scavenger - Reagent B, .75 oz	4.45	R-8031C	Monopersulfate 10 - Reagent C, .75 oz, Dropper Bottle	4.30
R-8017A	Manganese 30 - Reagent A, .75 oz	4.40	R-8032A	Cyanuric Acid 120 - Reagent A, .75 oz, Dispenser Tip	3.45
R-8017B	Manganese 30 - Reagent B, 10 g	13.35	R-8033A	Azole 25 - Reagent A, .75 oz	6.65
R-8018A	Boron 2 - Reagent A, .75 oz	6.50	R-8033B	Azole 25 - Reagent B, 10 g	9.35
R-8018B	Boron 2 - Reagent B, 10 g	11.30	R-8035A	Nitrate 44 - Reagent A, 10g	22.25
R-8019A	Zinc 3 - Reagent A, .75 oz	4.45	R-8035B	Nitrate 44 - Reagent B, 10g	99.15
R-8019B	Zinc 3 - Reagent B, 10 g	8.05	R-8035C	Nitrate 44 - Reagent C, 10g	35.30
R-8019C	Zinc 3 - Reagent C, .75 oz	12.80			

REAGENT SIZE CODE: A = .75 oz (22 mL) A-24 = .75 oz (24-pack) B = 2 oz (60 mL, Wide-Mouth) C = 2 oz (60 mL) C-12 = 2 oz (12-pack) D = 4 oz DD = 8 oz DB = Dropper Bottle E = 16 oz F = 32 oz F4 = qt (4-pack) G = gal G4 = gal (4-pack) H = 25 g I = 10 g II = 50 g J = .25 lb K = 1 lb Z = 1,000-pack

NUMERIC LISTING OF ALL REPLACEMENT PARTS

PART NO.	PART DESCRIPTION	PRICE	PART NO.	PART DESCRIPTION	PRICE
2146	Bottle, .75 oz, poly, natural (for 2263, 2270, 2300)	\$ 2.45	4025	Test Cell, Calibrated (5 mL), plastic, rectangular (for 3267)	\$ 4.85
2147	Bottle, .75 oz, poly, amber (for 2263, 2270, 2300)	2.55	4026	Dipper Spoon, 2 g, plastic, natural	1.50
2235-12	Dipper Spoon w/ paddle handle, .05 g, plastic, blue, 12-pack (for 2629)	1.80	4027	Funnel, 58 mm, plastic	2.20
2239	Bottle, 2 oz, glass, amber (for 2344)	2.15	4028	Pipet (eye dropper), Calibrated (0.5 mL) w/ cap, plastic	1.80
2241	Bottle, 2 oz, poly, amber (for 2344)	3.60	4029	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL), plastic	2.20
2242	Bottle, 2 oz, poly, natural (for 2263, 2270, 2300)	3.20	4030	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ cap, plastic	2.40
2244	Bottle, 4 oz, glass, amber (for 2277)	3.90	4034	Sample Tube, Calibrated (25 mL), plastic	3.05
2246	Bottle, 4 oz, poly, natural (for 2278 & 2313)	2.80	4035	Sample Tube, Calibrated (5 mL), plastic	1.90
2249	Bottle, 16 oz, poly, amber (for 2282)	4.85	4043	Flask, Erlenmeyer, 125 mL, glass	11.10
2251	Bottle, 16 oz, poly, natural (for 2282)	4.00	4044	Dipper Spoon, .15 g, plastic, white	0.75
2252	Bottle, 32 oz, glass, amber (for 2285 & 2351)	6.75	4065	Flask, Erlenmeyer, 50 mL, glass	11.45
2253	Bottle, 32 oz, poly, amber (for 2282)	5.15	4072	Pipet (eye dropper), Graduated (2 mL w/ 0.5 mL div), plastic	8.95
2254	Bottle, 32 oz, poly, natural (for 2282)	4.55	4075	Pipet (eye dropper), Calibrated (0.5 mL), plastic	1.10
2263	Cap, Dropper, 18 mm, natural (for 2146, 2147, 2241, 2242)	1.35	4077	Pipet (eye dropper), Graduated (2 mL w/ 0.5 mL div) w/ cap, plastic	5.55
2269	Cap, Dispenser, 18 mm, white (for 2146, 2147, 2241, 2242)	1.40	4078	Pipet (eye dropper), Graduated (3 mL w/ 0.5 mL div), plastic	4.15
2270	Cap, 18 mm w/ liner, black (for 2146, 2147, 2205, 2241, 2242)	1.30	4085	Stirring Rod, 10", plastic	2.50
2278	Cap, 24 mm, black (for 2246)	1.55	4086-6	Stirring Rod, 5", plastic, 6-pack	4.85
2280	Cap, Dispenser, 28 mm, white (for 2249, 2251, 2253, 2254)	1.80	5425	Color Card Comparator/Instruction, pH, Long Range, 3.0-11.0	3.40
2281	Cap, Buret, 28 mm w/ hole, black (for 2249, 2251, 2253, 2254)	1.25	5426	Color Card Comparator/Instruction, pH, Long Range, 5.0-9.0	3.40
2282	Cap, 28 mm w/ liner, black (for 2249, 2251, 2253, 2254)	1.20	5432	Color Card Comparator/Instruction, Copper, Thiocarbamate, 0.05-1.0 ppm	2.90
2285	Cap, 33 mm, black (for 2252 & 2291)	1.40	6000	Brush, Long Viewpath Test Cell	4.55
2286	Cap, 38 mm, black (for 2292)	1.50	6002	Brush, Test Cell	3.95
2288	Cap, 53 mm, black (for 2294 & 2295)	1.55	6003	Brush, Test Tube	4.45
2291	Jar, 60 cc (wide-mouth), poly, natural (for 2285)	2.60	6008	Dish, Evaporating, 250 mL, porcelain	50.95
2292	Jar, 120 cc (wide-mouth), poly, natural (for 2286)	3.15	6009	Filter Paper, 9.0 cm, #610, 100/box	13.45
2294	Jar, 500 cc (wide-mouth), poly, natural (for 2288)	5.65	6010	Filter Paper, 9.0 cm, #617, 50/box	10.20
2300	Tip, 18 mm, natural (for 2146, 2147, 2241, 2242)	1.15	6011	Filter Paper, 12.5 cm, #610, 100/box	18.90
2300-50	Tip, 18 mm, natural, 50-pack (for 2146, 2147, 2241, 2242)	54.00	6012	Filter Paper, 12.5 cm, #617, 50/box	13.35
2306	Vial, Graduated (30 mL), 10 dram w/ cap, glass	6.90	6018	Test Paper, Dispenser Roll, pH, 1-14	22.05
2313	Cap, Dispenser, 24 mm, white (for 2246)	2.50	6019	Test Paper, Dispenser Roll, pH, 6-8	22.05
2331	Bottle, gal, poly, natural (for 2332)	6.90	6021	Stopper, Test Tube (5 mL, calibrated), rubber (for 4023)	2.65
2332	Cap, 38 mm (tamper-resistant), white (for 2331)	1.30	6022	Stopper, Test Tube (#2, mixing), rubber	1.45
2629	Vial, 10 g w/ desiccant liner, plastic (for 2235)	5.40	6023	Test Paper, Chlorine, 10-200 ppm, 100 strips	5.65
2629-12	Vial, 10 g w/ desiccant liner, plastic, 12-pack (for 2235)	57.15	6024	Stopper, Buret, rubber	8.15
3020	Light Bulb, Dalite™, 25-watt (for 9195 & 9196)	14.90	6030	Test Paper, Dispenser Roll, pH, 3-8	21.45
3208	Filter, Dalite™, glass (for 9195 & 9196)	98.50	6031	Test Paper, Dispenser Roll, pH, 9-12	21.45
3235	Cap, Test Cell (5 mL), plastic, square (for 9017)	1.15	6034	Test Paper, Dispenser Roll, Chlorine, 10-200	16.95
3243	Cap, Test Cell (11.5 mL), plastic, rectangular (for 4024 & 9018)	1.45	6051	Test Paper, pH, 2.5-4.5, colorpHast®, 100 strips	35.95
3267	Cap, Test Cell (5 mL), plastic, rectangular (for 4025)	1.45	6054	Stand, Buret	37.95
4001	Beaker, 150 mL, glass	13.85	6056	Clamp, Buret (single)	27.95
4004	Cylinder, Graduated (10 mL w/ 0.2 mL div), glass	11.10	6086-10	Filter Discs, 25 mm diameter, 0.45 µm w/ holders, Millipore™, 10-pack (for 6247 & 6260)	57.08
4005	Cylinder, Graduated (50 mL w/ 1.0 mL div), glass	15.25	6087-5	Syringe Adapter, 5" x .25", 5-pack	6.30
4007	Cylinder, Graduated (100 mL w/ 1 mL div), glass	20.05	6097	Thermometer, Armored, -10° to +110°C	45.90
4008	Flask, Erlenmeyer, 250 mL, glass	12.15	6101	Stirring Bar, Magnetic, 1"	9.95
4010	Pipet (eye dropper), Graduated (1 mL w/ 0.1 mL div), glass	10.15	6106	Stirring Bar, Magnetic, .5"	9.40
4011	Pipet (eye dropper), Graduated (10 mL w/ 0.1 mL div), glass	22.95	6187	Light Bulb, Dalite™, 8-watt (for K-9780)	39.17
4015	Stirring Rod, 6", glass	2.40	6190	SampleSizer, 10 & 25 mL, anodized aluminum (for 9056, 9057, 9058, 9198)	17.00
4016	Hydrometer, Specific Gravity, 1.000-1.070	69.35	6190-12	SampleSizer, 10 & 25 mL, anodized aluminum, 12-pack (for 9056, 9057, 9058, 9198)	184.50
4017	Hydrometer, Specific Gravity, 1.000-1.400	63.70	6247	Syringe (no filter disc holder or filter discs), 60 mL, plastic	5.60
4018	Cylinder, Hydrometer (200 mm) w/ pour spout, glass	46.25	6248	Filter Discs, 25 mm diameter, 5.0	185.25
4023	Test Tube, Calibrated (5 mL), glass	1.80	6249	Filter Disc Holder, 25 mm, Millipore™ (for 6247 & 6260)	23.10
4023-6	Test Tube, Calibrated (5 mL), glass, 6-pack	9.40			
4024	Test Cell, Calibrated (11.5 mL), plastic, rectangular (for 3243)	5.40			

NUMERIC LISTING OF ALL REPLACEMENT PARTS (continued)

PART NO.	PART DESCRIPTION	PRICE	PART NO.	PART DESCRIPTION	PRICE
6254	Test Paper, pH, 6.5-10.0, colorpHast®, 100 strips	\$ 37.55	9018	Test Cell, Calibrated (5, 10, 15 cm) w/ cap, plastic, rectangular (for Long Viewpath comparator)	\$ 12.40
6255	Test Paper, pH, 0-14, colorpHast®, 100 strips	49.90	9020	Test Tube, Calibrated (5 mL) w/ cap, glass	4.20
6256	Test Paper, pH, 0-6, colorpHast®, 100 strips	37.55	9021	Test Tube, Mixing, Calibrated (5, 10, 14, 15, 17.5 mL) w/ stopper, glass	21.50
6257	Filter Discs, 25 mm diameter, 2.5 µm, Whatman™, 100/box (for 6249)	53.55	9021-6	Test Tube, Mixing, Calibrated (5, 10, 14, 15, 17.5 mL) w/ stopper, glass, 6-pack	118.95
6260	Syringe (no filter disc holder or filter discs), 30 mL, plastic	5.60	9025	2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 30 & 60 ppm	25.40
6261	Filter Discs, 25 mm diameter, 0.45 µm, Millipore™, 100/box (for 6249)	165.55	9026	2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 20 & 40 ppm	25.40
6433	Test Paper, Quat, 100-400 ppm, 100 strips	14.05	9027	2-Standard Comparator, Orthophosphate (low range), Stannous Chloride, 2 & 8 ppm	25.40
6510	Meter, pH/Temperature, Myron L TechPro II™ TH1	544.25	9028	2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 20 & 60 ppm	25.40
6520	Meter, Conductivity/TDS/Temperature, Myron L TechPro II™ TP1	832.05	9034	Midget Comparator, Bromine (total), OT, 0.2-3.0 ppm	34.40
6530	Meter, Conductivity/pH/TDS/Temperature, Myron L TechPro II™ TPH1	1,183.90	9036	Midget Comparator, pH, Bromthymol Blue, 6.0-7.4	34.40
6535	AC Power Adapter, Colorimeter	18.10	9037	Midget Comparator, Iodine/Iodide (free/total), Leuco Crystal Violet, 0-2.0 ppm	34.40
6540	Meter, TDS, Myron L 512T5	297.85	9039	Midget Comparator, Chlorine (total), OT, 0-1.0 ppm	34.40
6542	Meter, Sodium Chloride/TDS, Myron L PoolMeter™ 512T5D	310.15	9040	Midget Comparator, Chlorine (free/total), DPD, 0.2-3.0 ppm	34.40
6545	Meter, Conductivity, Myron L 512M5	297.85	9041	Midget Comparator, Bromine (total), DPD, 0.2-3.0 ppm	34.40
6551	Vial, Dilution (50 mL w/ cap), Colorimeter	2.20	9047	Midget Comparator, Chlorine (total), OT, 0-2.0 ppm	34.40
6552	USB Cable, Colorimeter	13.70	9048	Midget Comparator, Chlorine (free/total), DPD, 1.5-10 ppm	34.40
6555	Meter, Conductivity/Salinity/TDS, Myron L ULTRAPEN™ PT1	172.30	9049	Midget Comparator, Copper, Cuprizone, 0.2-3.0 ppm	34.40
6556	Meter, pH/Temperature, Myron L ULTRAPEN™ Model PT2	158.50	9050	Midget Comparator, Iron (ferric/ferrous/total), Phenanthroline, 0-10 ppm	34.40
6560	Meter, Conductivity, Myron L EP-10	506.20	9051	Midget Comparator, Iron (total), Tripyridyl-s-triazine, 0-2.0 ppm	34.40
6569	Meter, Conductivity/FC/ORP/pH/Resistivity/TDS/Temperature, Myron L Ultrameter II™ 6PFC ^E	1,204.65	9052	Midget Comparator, pH, Long Range, 3.0-10.0	34.40
6649-4	Brush, Colorimeter Sample Cell, foam, 4-pack	3.40	9053	Midget Comparator, pH, Phenol Red, 6.8-8.2	34.40
6656	UV Light, SteriPEN® (for all tests requiring UV digestion)	100.00	9054	Midget Comparator, Orthophosphate (low range), Stannous Chloride, 0-10 ppm	34.40
6657	Stirring Bar, Spinvane®, Magnetic, Colorimeter	31.55	9066	Slide Comparator, pH, Bromthymol Blue, 6.0-7.6	51.75
6658	Saddlebag, storage for laptops & other accessories, water-resistant, 600 denier polyester, black	124.00	9067	Slide Comparator, pH, Phenol Red, 6.8-8.4	51.75
7004	Case, Midget Comparator, Non-ribbed, fits 22 mL bottles, 4" w x 3.5" d x 4" h, plastic, blue	10.40	9068	Slide Comparator, pH, Cresol Red, 7.2-8.8	51.75
7008	Case, Mini Multipurpose, Non-ribbed, fits 22 mL bottles, 4.25" w x 4" d x 1.5" h, plastic, blue	11.95	9069	Slide Comparator, pH, Meta Cresol Purple, 7.6-9.2	51.75
7009	Case, Slide Comparator, Ribbed w/ compartments, fits 22 mL/60 mL bottles, 11" w x 6" d x 5" h, plastic, blue	30.60	9070	Slide Comparator, pH, Thymol Blue, 8.0-9.6	51.75
7012	Case, Slide Comparator, Non-ribbed, fits 22 mL/60 mL bottles, 11" w x 6" d x 5" h, plastic, blue	24.50	9071	Slide Comparator, pH, Phthalein Red, 8.6-10.2	51.75
7058	Case, Dual Midget Comparator, Non-ribbed, fits 22 mL bottles, 7.75" w x 4.5" d x 3.75" h, plastic, blue	12.75	9072	Slide Comparator, pH, Toly Red, 10.0-11.6	51.75
7060	Case, Drop Test, Ribbed, fits 22 mL/60 mL bottles, 11.5" w x 5.125" d x 2" h, plastic, blue	19.70	9078	Slide Comparator, pH, Long Range, 3.0-11.0	51.75
7061	Case, Drop Test, Non-ribbed, fits 22 mL/60 mL bottles, 11.5" w x 5.125" d x 2" h, plastic, blue	17.90	9079	Slide Comparator, Bromine (total), DPD, 0-3.0 ppm	51.75
7145	Saddlebag, water-resistant, 600 denier polyester, black (for 9502, 9503, 9504)	0.00	9081	Slide Comparator, Chlorine (free/total), DPD, 0-1.0 ppm	51.75
7146	Case, Colorimeter Soft Carrying, 11" w x 7" d x 4.625" h, 600 denier polyester, gray (requires foam insert 7203)	43.20	9082	Slide Comparator, Chlorine (free/total), DPD, 0-3.0 ppm	51.75
7151	Insert, foam (for K-1690)	22.17	9083	Slide Comparator, Chlorine (free/total), DPD, 1.0-10 ppm	51.75
7203	Insert, Colorimeter Case, foam (for 7146)	40.95	9084	Slide Comparator, Chlorine (total), OT, 0-1.0 ppm	51.75
7350	Case, Attaché, 15.5" w x 5.5" d x 13.25" h, plastic, black	36.95	9085	Slide Comparator, Chlorine (total), OT, 0.1-4.0 ppm	51.75
9006	Midget Comparator, pH, Cresol Red, 7.2-8.6	34.40	9086	Slide Comparator, Chlorine (total), OT, 0.2-3.0 ppm	51.75
9009	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ yellow cap, plastic	2.55	9087	Slide Comparator, Chlorine (total), OT, 0-50 ppm	51.75
9010	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ red cap, plastic	2.55	9088	Slide Comparator, Chlorine (total), OT, 0.2-12 ppm	51.75
9011	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ green cap, plastic	2.55	9094	Slide Comparator, Copper, Cuprizone, 0-3.0 ppm	51.75
9012	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ brown cap, plastic	2.55	9106	Slide Comparator, Iron (total), Tripyridyl-s-triazine, 0-2.0 ppm	51.75
9013	Pipet (eye dropper), Calibrated (2.5 mL) w/ bulb, glass	10.90	9110	Slide Comparator, Orthophosphate (high range), Stannous Chloride, 5-100 ppm	51.75
9017	Test Cell, Calibrated (5 mL) w/ cap, plastic, square	4.70	9111	Slide Comparator, Orthophosphate (low range), Stannous Chloride, 0-25 ppm	51.75
			9177	Bottle, Graduated (50 mL w/ 5 mL div), 2 oz w/ foil-lined cap, glass	17.30
			9187	Sample Tube, Plain w/ white dot on bottom, plastic	1.75
			9188	Sample Tube, Graduated (50 mL) w/ cap, plastic	4.30

NUMERIC LISTING OF ALL REPLACEMENT PARTS (continued)

PART NO.	PART DESCRIPTION	PRICE	PART NO.	PART DESCRIPTION	PRICE
9189	Base, Slide Comparator, Enslow (for test cells)	\$ 56.40	9317	Slide Comparator, Ozone, DPD, 0-2.0 ppm	\$ 51.75
9190	Base, Slide Comparator (for test tubes)	56.30	9318	Slide Comparator, Ozone, DPD, 0-0.66 ppm	51.75
9195	Lamp, Dalite™	198.55	9321	Midget Comparator, pH, Thymol Blue, 8.2-9.6	34.40
9196	Lamp, Long Viewpath	495.25	9323	Midget Comparator, Glutaraldehyde, Modified MBTH, 0-50 ppm	34.40
9198	Sample Tube, Graduated (25 mL) w/ cap, plastic	4.80	9326	Buret, Pinchcock, 25 mL, glass	167.00
9198B	Sample Tube, Graduated (25 mL) w/ cap & blue dot, plastic	4.70	9341	Buret, Stopcock, 25 mL, glass	140.33
9198BR	Sample Tube, Graduated (25 mL) w/ cap & brown dot, plastic	4.70	9342	Buret, Stopcock, 10 mL (0.1 mL div), glass	160.80
9198G	Sample Tube, Graduated (25 mL) w/ cap & green dot, plastic	4.70	9343	Buret, Stopcock, 10 mL (0.1 mL div)/500 ppm (5 ppm div), glass	146.25
9198LB	Sample Tube, Graduated (25 mL) w/ cap & light blue dot, plastic	4.70	9345	Case, Titration w/o glassware, 20" w x 10" d x 23" h, plastic & metal, black	1,107.75
9198O	Sample Tube, Graduated (25 mL) w/ cap & orange dot, plastic	4.70	9350	Midget Comparator, Orthophosphate (high range), Stannous Chloride, 10-100 ppm	34.40
9198P	Sample Tube, Graduated (25 mL) w/ cap & purple dot, plastic	4.70	9352	Case, Deluxe Carrying w/ document holder only, 18.5" w x 8" d x 15.75" h, plastic, black	337.65
9198R	Sample Tube, Graduated (25 mL) w/ cap & red dot, plastic	4.70	9352-1B	Insert (base), Deluxe Case, uncut, foam (for 9352)	23.15
9198W	Sample Tube, Graduated (25 mL) w/ cap & white dot, plastic	4.70	9352-1T	Insert (top), Deluxe Case, uncut, foam (for 9352)	22.75
9198Y	Sample Tube, Graduated (25 mL) w/ cap & yellow dot, plastic	4.70	9352-2B	Insert (base), Deluxe Case, cut for 63 2 oz bottles, foam (for 9352)	25.60
9199	Lightbox, w/ adapter, batteries & case	146.00	9352-2T	Insert (top), Deluxe Case, partially cut for typical labware, foam (for 9352)	24.05
9207	Ampule, Clear Distilled Water (for Midget comparator)	3.30	9352-3B	Insert (base), Deluxe Case, cut for 6 Midget comparators/syringe filter/ 48 2 oz bottles, foam (for 9352)	24.47
9208	Ampule, Clear Distilled Water (for Slide comparator)	3.60	9352-3T	Insert (top), Deluxe Case, partially cut for typical labware/meter, foam (for 9352)	32.13
9209	Ampule, Color Standard (for Midget comparator)	4.35	9352-4B	Insert (base), Deluxe Case, cut for 5 Slide comparators/45 2 oz bottles, foam (for 9352)	24.94
9210	Ampule, Color Standard (for Slide comparator)	5.00	9352-5B	Insert (base), Deluxe Case, cut for 6 Midget comparators/48 2 oz bottles, foam (for 9352)	23.99
9222	Bottle, Graduated (50 mL w/ 5 mL div), 2 oz w/ POLY-SEAL™ cap, glass	6.50	9354	Insert (base), Attaché Case, cut, foam (for 7350)	26.50
9227	Midget Comparator, Bromine (total), DPD, 0-10 ppm	34.40	9360	Case, Attaché w/ insert, 15.5" w x 5.5" d x 13.5" h, plastic, black	131.50
9228	Slide Comparator, Chlorine (free/total), DPD, 0.8-2.4 ppm	51.75	9421	Slide Comparator (Long Viewpath), Manganese, Periodate Oxidation, 0-3.0 ppm	51.75
9231	Slide Comparator, Chlorine (total), OT, 5-250 ppm	51.75	9432	Slide Comparator (Long Viewpath), pH, Bromthymol Blue/Meta Cresol Purple, 6.0-9.2	51.75
9236	Slide Comparator, Bromine (total), DPD, 2.0-10 ppm	51.75	9502	Case, Colorimeter Hard Carrying w/ molded insert, 20" w x 15.625" d x 5.5" h, polypropylene, gray	305.00
9237	Midget Comparator, pH, Chlorphenol Red, 5.2-6.6	34.40	9503	Case, Premium General Utility w/ molded insert, fits 60 mL bottles, 20" w x 15.625" d x 5.5" h, polypropylene, black	334.00
9241	Midget Comparator, Chlorine (free/total), DPD, 0.1-2.0 ppm	34.40	9600	Case Divider w/ pad (for 9352)	163.15
9246	Slide Comparator, Iron (total), Phenanthroline, 0-10 ppm	51.75	9601-3	Sample Cell, Colorimeter, 25 mm w/ cap, glass, 3-pack	23.50
9257	Midget Comparator, Silica, Heterotrophy Blue, 5-50 ppm	34.40	9602-3	Sample Cell, Colorimeter, 15 mm w/ cap, glass, 3-pack	24.50
9264	Slide Comparator, Silica, Heterotrophy Blue, 0-50 ppm	51.75	9803	Syringe Filtration System Start-up Pack w/ 25 mm filter disc holder (no filter discs), 60 mL, plastic	31.80
9265	Magnetic Stirrer, SpeedStir Start-up Pack w/ 6101 & 9198	42.40			
9269	Bottle, Calibrated (50 mL), 2 oz (wide-mouth) w/ glass stopper, glass	51.95			
9283	Slide Comparator, Octadecylamine (ODA), Bromphenol Blue/Chloroform Extraction, 0-6 ppm	51.75			
9285	Slide Comparator, Nitrate, Zinc Reduction, 0-10 ppm	51.75			
9289	Hose, Buret, .375" dia. x 10" w/ bead & tip (glass), rubber	9.40			
9291	Hose, Buret, .25" dia. x 6', rubber	26.65			
9294	2-Standard Comparator, Orthophosphate (low range), Stannous Chloride, 10 & 20 ppm	25.40			
9297	Midget Comparator, Chlorine (total), OT, 5-250 ppm	34.40			
9315	Test Paper, pH, 1.8-3.8, 200 strips	42.90			

SECTION 3: ALPHABETICAL LISTINGS OF PRODUCTS

SINGLE-ANALYTE TEST KITS

KIT NO.	CODE	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
Acidity (Hydrochloric/Muriatic Acid)						
K-1547	D	Neutralization to pH 4.5	1 drop = 0.5 g/100 mL HCl	NA	9198	\$ 71.70
Acidity (Sulfuric Acid)						
K-1548	D	Neutralization to pH 4.5	1 drop = 0.02-1.0 g/100 mL H ₂ SO ₄ plus conversion factors for phosphoric & sulfamic acids	NA	9198	63.37
Alkalinity (Caustic & Total)						
K-1528	D	Phenolphthalein/blended indicator	1 drop = 0.2 g/100 mL caustic alkalinity as NaOH or 0.265 g/100 mL total alkalinity as Na ₂ CO ₃	NA	9198G	66.90
Alkalinity (Caustic Soda)						
K-1531	D	Phenolphthalein	1 drop = 0.1 or 1% caustic alkalinity as NaOH	NA	9198G	57.20
Alkalinity (Hydroxyl)						
K-1537	D	Phenolphthalein	1 drop = 10 or 50 ppm hydroxyl alkalinity as CaCO ₃	NA	9198G	66.70
Alkalinity (P/M)						
K-1533PM	D	Phenolphthalein/methyl orange	1 drop = 10 or 50 ppm P/M alkalinity as CaCO ₃	NA	9198G	47.55
Alkalinity (P/M & P/T)						
K-1575	D	Phenolphthalein/methyl orange/blended indicator	1 drop = 10 or 50 ppm P/M or P/T alkalinity as CaCO ₃	NA	9198G	69.10
Alkalinity (P/T)						
K-1527	D	Phenolphthalein/blended indicator	1 drop = 10 ppm P/T alkalinity as CaCO ₃	NA	9198G	37.05
K-1512	D	Phenolphthalein/blended indicator (laundry)	1 drop = 10 or 50 ppm P/T alkalinity as CaCO ₃	NA	9198G	53.50
K-1533PT	D	Phenolphthalein/blended indicator	1 drop = 10 or 50 ppm P/T alkalinity as CaCO ₃	NA	9198G	47.35
Alkalinity (Total)						
K-1530	D	Blended indicator (using H ₂ SO ₄)	1 drop = 10 ppm total alkalinity as CaCO ₃	NA	9198G	34.25
Bacteria (Aerobic)						
K-1862	V	Nutrient-supported growth (by Easicult®)	10 ³ , 10 ⁴ , 10 ⁵ , 10 ⁶ , 10 ⁷ total bacteria CFU/mL	NA	NA	90.85
K-1861	V	Nutrient-supported growth (by Easicult®)	10 ³ , 10 ⁴ , 10 ⁵ , 10 ⁶ , 10 ⁷ total bacteria CFU/mL with yeasts & molds to 10 ⁶ CFU/mL	NA	NA	101.40
K-1860	V	Nutrient-supported growth (by Sani-Check®)	< 10 ⁴ , 10 ⁴ , 5x10 ⁴ , 10 ⁵ , 5x10 ⁵ , 10 ⁶ , 5x10 ⁶ , 10 ⁷ , >10 ⁷ bacteria ct/mL (by Sani-Check®)	NA	NA	182.33
Bacteria (Anaerobic)						
K-1865	V	Nutrient-supported growth (by Sani-Check®)	≤ 10 ¹ , 10 ² , 10 ³ , 10 ⁴ , 10 ⁵ , 10 ⁶	NA	NA	164.17
Boron						
K-1541	D	Proprietary	1 drop = 0.2 or 0.5 ppm B	NA	4040, 9187	180.50
Bromine (Total)						
K-1241	S	DPD	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm bromine (Br ₂)	9079	4024	124.70
K-1773	M	DPD	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm bromine (Br ₂)	9041	4024	61.65
K-1242	S	DPD	2.0, 2.5, 3.0, 3.5, 4.0, 5.0, 6, 8, 10 ppm bromine (Br ₂)	9236	4025	124.75
K-1517-C	D	FAS-DPD	1 drop = 0.5 or 1.25 ppm bromine (Br ₂)	NA	9198Y	64.60
K-1293	M	OT	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm bromine (Br ₂)	9034	4024	59.70
Chelant (Free)						
K-1554	D	Complexometric	1 drop = 2 ppm free chelant as EDTA	NA	9198LB	78.25
K-1775	D	Complexometric	1 drop = 5 ppm free chelant as NTA	NA	9198	94.45

SINGLE-ANALYTE TEST KITS (continued)

KIT NO.	CODE	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
Chelant (Total)						
K-1544	D	Complexometric	1 drop = 2 or 5 ppm total chelant as EDTA	NA	9198LB	\$ 99.40
Chloride						
K-1543	D	Argentometric (high pH waters)	1 drop = 2 ppm Cl ⁻	NA	91980	62.70
K-1549S	D	Argentometric (high pH waters)	1 drop = 10 ppm Cl ⁻	NA	91980	55.65
K-1549	D	Argentometric (high pH waters)	1 drop = 10, 25, 50, 100, or 500 ppm Cl ⁻	NA	91980	62.00
K-1506	D	Argentometric (neutral pH waters)	1 drop = 10, 25, 50, 100, or 500 ppm Cl ⁻	NA	91980	54.65
K-1598	D	Mercuric nitrate	1 drop = 2 or 10 ppm Cl ⁻	NA	91980	71.65 *
Chloride (Sodium Chloride)						
K-1767	D	Argentometric	1 drop = 20, 40, 100, 200, or 800 ppm NaCl	NA	91980	59.45
Chlorine (Bleach)						
K-1579	D	Iodometric	1 drop = 10 or 100 ppm/0.05 or 0.5% available chlorine (Cl ₂)	NA	9198Y	92.05
Chlorine (Free & Combined)						
K-1515-C	D	FAS-DPD	1 drop = 0.2 or 0.5 ppm chlorine (Cl ₂)	NA	9198Y	73.60
K-1516	D	FAS-DPD (uses KI crystals)	1 drop = 0.2 or 0.5 ppm chlorine (Cl ₂)	NA	9198	77.15
Chlorine (Free & Total)						
K-1259-2	S	DPD	0, 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.8, 1.0 ppm chlorine (Cl ₂)	9081	4024	130.80
K-1259-1	S	DPD	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm chlorine (Cl ₂)	9082	4024	149.90
K-9047	M	DPD	0.1, 0.2, 0.4, 0.7, 1.0, 1.2, 1.5, 2.0 ppm chlorine (Cl ₂)	9241	4024	60.80
K-1234	M	DPD (tablet)	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm chlorine (Cl ₂)	9040	4024	66.60
K-1768	M	DPD	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm chlorine (Cl ₂)	9040	4024	64.20
K-1289	S	DPD	1.0, 1.5, 2.0, 2.5, 3.0, 4.0, 6, 8, 10 ppm chlorine (Cl ₂)	9083	4025	128.95
K-1768-2	M	DPD	1.5, 2.0, 2.5, 3.0, 4.0, 6, 8, 10 ppm chlorine (Cl ₂)	9048	4025	63.10
Chlorine (Total)						
K-9022	D	Iodometric	1 drop = 1 ppm chlorine (Cl ₂)	NA	9198	86.05
K-1580	D	Iodometric	1 drop = 1 or 10 ppm chlorine (Cl ₂)	NA	9198	92.00
K-3209	L	OT	0, 0.10, 0.15, 0.20, 0.30, 0.40, 0.6, 0.8, 1.0 ppm chlorine (Cl ₂)	9409	9018	203.70
K-1231	M	OT	0, 0.1, 0.2, 0.3, 0.4, 0.6, 0.8, 1.0 ppm chlorine (Cl ₂)	9039	4024	58.15
K-1201	S	OT	0, 0.1, 0.15, 0.2, 0.3, 0.4, 0.6, 0.8, 1.0 ppm chlorine (Cl ₂)	9084	4024	129.20
K-1297	M	OT	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0 ppm chlorine (Cl ₂)	9047	4025	57.25
K-1256	S	OT	0, 0.1, 0.3, 0.5, 5, 10, 15, 25, 50 ppm chlorine (Cl ₂)	9087	4024	149.60
K-1203	S	OT	0.1, 0.2, 0.4, 0.6, 0.8, 1.0, 2.0, 3.0, 4.0 ppm chlorine (Cl ₂)	9085	4024	129.20
K-1205	S	OT	0.2, 0.4, 0.6, 0.8, 1.0, 1.4, 1.8, 2.2, 3.0 ppm chlorine (Cl ₂)	9086	4024	129.20
K-1141	S	OT	0.2, 0.5, 1.0, 2, 4, 6, 8, 10, 12 ppm chlorine (Cl ₂)	9088	4023	129.80
K-1401	M	OT	5, 25, 50, 75, 100, 150, 200, 250 ppm chlorine (as Cl ₂)	9297	4025	85.45
K-1151	S	OT	5, 15, 25, 50, 75, 100, 150, 200, 250 ppm chlorine (Cl ₂)	9231	4025	147.30
Chlorine Dioxide						
K-1502	D	FAS-DPD	1 drop = 0.2 ppm Cl ₂	NA	9198	79.30
Copper (Free)						
K-1730	C	Thiocarbamate	0.05, 0.15, 0.3, 0.5, 0.7, 1.0 ppm Cu	5432	9017	25.15
Copper (Total)						
K-1155	S	Cuprizone	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm Cu	9094	4024	133.75
K-1738	M	Cuprizone	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm Cu	9049	4024	69.05

CODE KEY: B = Buret Titration C = Color Card Comparator D = Drop Test E = Electronic Meter L = Long Viewpath™ Comparator M = Midget™ Comparator O = Other S = Slide™ Comparator T = 2-Standard™ Comparator V = Visual Determination

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

SINGLE-ANALYTE TEST KITS (continued)

KIT NO.	CODE	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
Dissolved Oxygen						
K-1658	D	Winkler-azide modification	1 drop = 0.2 ppm DO	NA	NA	\$ 171.00 *
K-1588	D	Winkler-azide modification (recommended for field use)	1 drop = 1.0 ppm DO	NA	NA	128.15 *
Freezing Point Determination						
K-1540	O	Specific gravity measurement	Use with ethylene and propylene glycol solutions, calcium chloride brine, and sodium chloride brine	NA	4018	204.20
Glutaraldehyde						
K-1186	M	Modified MBTH	0, 2, 5, 10, 20, 30, 40, 50 ppm glutaraldehyde	9323	4025, 9198	177.35 *
Hardness, Calcium						
K-1567	D	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm calcium hardness as CaCO ₃	NA	9198B	51.55
Hardness (Calcium & Total)						
K-1514	D	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 2 or 10 ppm calcium or total hardness as CaCO ₃	NA	9198B	57.90
K-1594	D	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm calcium or total hardness as CaCO ₃	NA	9198B	63.70
Hardness (Total)						
K-1503	D	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 2 or 10 ppm total hardness as CaCO ₃	NA	9198B	48.90
K-1505	D	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 2 or 10 ppm total hardness at CaCO ₃	NA	9198B	48.90
Hardness (Total: trace)						
K-1504	D	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 0.5 ppm total hardness as CaCO ₃	NA	9198B	58.55
Hydrogen Peroxide						
K-1825	D	Iodometric (2 oz)	1 drop = 5 ppm H ₂ O ₂	NA	9198	76.55
K-1826	D	Iodometric (.75 oz)	1 drop = 5 ppm H ₂ O ₂	NA	9198	27.95
Hydrogen Peroxide (undiluted strength)						
K-1443	D	Iodometric	1 drop = 0.5 or 1% H ₂ O ₂	NA	9198	98.40
Iodine						
K-1593	D	Iodometric (PAO)	1 drop = 2.5 or 5 ppm iodine (I ₂)	NA	9188	73.10 *
K-1568	D	Iodometric (thiosulfate)	1 drop = 5 ppm iodine (I ₂)	NA	9188	75.95
Iodine/Iodide						
K-1267	M	Leuco crystal violet	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0 ppm iodine (I ₂)	9037	4024	92.10 *
Iron (Ferric, Ferrous, Total)						
K-1239SC	M	Phenanthroline	0, 0.5, 1.0, 2.0, 4.0, 6, 8, 10 ppm Fe	9050	4024	118.60
Iron (Total)						
K-1239RC	M	Phenanthroline	0, 0.5, 1.0, 2.0, 4.0, 6, 8, 10 ppm Fe	9050	4024	119.35
K-1154	S	Phenanthroline	0, 0.5, 1.0, 2.0, 3.0, 4.0, 6, 8, 10 ppm Fe	9246	4024	184.60
K-3220	L	Thiocyanate	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm Fe	9420	9018	268.80
K-1716	M	Tripyridyl-s-triazine	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0 ppm Fe	9051	4024	73.13
K-1153	S	Tripyridyl-s-triazine	0, 0.1, 0.2, 0.3, 0.4, 0.6, 0.8, 1.0, 2.0 ppm Fe	9106	4024	140.85
Manganese						
K-3221	L	Periodate oxidation	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm Mn	9421	9018	436.80

CODE KEY: B = Buret Titration C = Color Card Comparator D = Drop Test E = Electronic Meter L = Long Viewpath™ Comparator M = Midget™ Comparator O = Other S = Slide™ Comparator T = 2-Standard™ Comparator V = Visual Determination

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

SINGLE-ANALYTE TEST KITS (continued)

KIT NO.	CODE	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
Molybdenum						
K-1805	D	Complexometric	1 drop = 2, 5, 20, or 50 ppm Mo	NA	9198	\$ 81.70 *
K-1805P	D	Complexometric (uses powdered indicator for increased stability)	1 drop = 2, 5, 20, or 50 ppm Mo	NA	9198	92.80 *
Neutralizing Amines						
K-1682	D	Acid-base titration (alkalinity from other sources interferes)	1 drop = 2.5 ppm MEA/3.8 ppm MOPA/3.8 ppm MOR/4 ppm CHA/ 5 ppm DEAE (DEEA)/6 ppm TEA	NA	9198	71.80
Nitrate						
K-1128	S	Zinc reduction	0, 1.0, 2.0, 3.0, 4.0, 5.0, 6, 8, 10 ppm NO ₃ ; By dilution: 0, 10, 20, 30, 40, 50, 60, 80, 100 ppm NO ₃	9285	4025	208.25 †
Nitrite (Sodium Nitrite)						
K-1510	D	Ceric oxidation of nitrite ("CAN")	1 drop = 40 ppm NaNO ₂	NA	9198R	68.15
K-1564	D	Permanganate	1 drop = 25 ppm NaNO ₂	NA	9198R	60.05
K-1565	D	Permanganate	1 drop = 50 ppm NaNO ₂	NA	9198R	43.85
K-1563	D	Permanganate (using acid sulfate)	1 drop = 100 ppm NaNO ₂	NA	9198R	42.60
K-1539	D	Permanganate (using H ₂ SO ₂)	1 drop = 100 ppm NaNO ₂	NA	9198R	53.10
Octadecylamine (ODA)						
K-1243	S	Bromphenol blue/chloroform extraction	0, 0.4, 0.8, 1.2, 1.6, 2.0, 3.0, 4, 6 ppm ODA	9283	4023	190.60 *
Orthophosphate						
K-1110	M	Stannous chloride	0, 0.5, 1.0, 2.0, 4, 6, 8, 10 ppm PO ₄	9054	9021	120.90
K-1105	S	Stannous chloride (no case)	0, 2, 4, 6, 8, 10, 15, 20, 25 ppm PO ₄	9111	4023, 9021	165.90
K-1105C	S	Stannous chloride	0, 2, 4, 6, 8, 10, 15, 20, 25 ppm PO ₄	9111	4023, 9021	259.60
K-1100	S	Stannous chloride (no case)	5, 10, 20, 30, 40, 50, 60, 80, 100 ppm PO ₄	9110	4023, 9021	166.95
K-1100C	S	Stannous chloride	5, 10, 20, 30, 40, 50, 60, 80, 100 ppm PO ₄	9110	4023, 9021	271.25
K-1109	M	Stannous chloride	10, 20, 30, 40, 50, 60, 80, 100 ppm PO ₄	9350	9021	126.40
K-1837	T	Stannous chloride	2 & 8 ppm PO ₄	9027	9021	88.95
K-1832	T	Stannous chloride	20 & 40 ppm PO ₄	9026	9021	88.95
K-1833	T	Stannous chloride	20 & 60 ppm PO ₄	9028	9021	88.95
K-1831	T	Stannous chloride	30 & 60 ppm PO ₄	9025	9021	88.95
Ozone						
K-1822	S	DPD	0, 0.07, 0.13, 0.20, 0.26, 0.33, 0.40, 0.53, 0.66 ppm O ₃	9318	4024	138.00
K-1818	S	DPD	0, 0.15, 0.3, 0.4, 0.5, 0.7, 1.0, 1.3, 2.0 ppm O ₃	9317	4024	134.80
Peracetic Acid						
K-1546	D	Iodometric	0-1000 ppm PAA	NA	9198	110.25
pH						
K-1285-4	M	Bromthymol blue	6.0, 6.2, 6.4, 6.6, 6.8, 7.0, 7.2, 7.4	9036	4024	72.35
K-1011-H	S	Bromthymol blue	6.0, 6.2, 6.4, 6.6, 6.8, 7.0, 7.2, 7.4, 7.6	9066	4023	143.85
K-3232	L	Bromthymol blue/meta cresol purple	6.0, 6.4, 6.8, 7.2, 7.6, 8.0, 8.4, 8.8, 9.2	9432	9018	202.65
K-1285-5	M	Chlorphenol red	5.2, 5.4, 5.6, 5.8, 6.0, 6.2, 6.4, 6.6	9237	4024	72.50
K-1285-6	M	Cresol red	7.2, 7.4, 7.6, 7.8, 8.0, 8.2, 8.4, 8.6	9006	4024	72.40
K-1011-K	S	Cresol red	7.2, 7.4, 7.6, 7.8, 8.0, 8.2, 8.4, 8.6, 8.8	9068	4023	143.85
K-1285-1	M	Long range	3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0	9052	4024	72.35
K-1011-U	S	Long range	3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0	9078	4023	143.85
K-1592	C	Long range	3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0	5425	9017	24.47

CODE KEY: B = Buret Titration C = Color Card Comparator D = Drop Test E = Electronic Meter L = Long Viewpath™ Comparator M = Midget™ Comparator O = Other S = Slide™ Comparator T = 2-Standard™ Comparator V = Visual Determination
 * Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

† No UPS and requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

SINGLE-ANALYTE TEST KITS (continued)

KIT NO.	CODE	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
pH (continued)						
K-1670	C	Long range	5.0, 6.0, 6.8, 7.4, 8.0, 9.0	5426	9017	\$ 25.65
K-1011-L	S	Meta cresol purple	7.6, 7.8, 8.0, 8.2, 8.4, 8.6, 8.8, 9.0, 9.2	9069	4023	143.85
K-1285-2	M	Phenol red	6.8, 7.0, 7.2, 7.4, 7.6, 7.8, 8.0, 8.2	9053	4024	72.35
K-1011-J	S	Phenol red	6.8, 7.0, 7.2, 7.4, 7.6, 7.8, 8.0, 8.2, 8.4	9067	4023	143.85
K-1011-M	S	Thymol blue	8.0, 8.2, 8.4, 8.6, 8.8, 9.0, 9.2, 9.4, 9.6	9070	4023	143.85
K-1285-7	M	Thymol blue	8.2, 8.4, 8.6, 8.8, 9.0, 9.2, 9.4, 9.6	9321	4024	72.40
K-1011-O	S	Tolyl red	10.0, 10.2, 10.4, 10.6, 10.8, 11.0, 11.2, 11.4, 11.6	9072	4023	143.85
Phosphonate						
K-1584	D	Thorium nitrate/chrome azurol S (uses pH test paper 2.5-4.50)	1 drop = 0.8 ppm PBTC plus conversion factors for other ATMP-related phosphonates	NA	9198P	116.55
K-1583	D	Thorium nitrate/xylenol orange (uses pH test paper 1.8-3.8)	1 drop = 1 ppm ATMP (Aminotri(methylenephosphonic acid)) plus conversion factors for ATMP-related phosphonates	NA	9198P	95.85
Polymer						
K-1190	V	Turbidimetric	0, 2, 5, 7, 10 ppm polymer as PAA (polyacrylic acid)	NA	9198	193.20
Polyphosphate						
K-1108	S	Acid hydrolysis/stannous chloride (no case; w/o heater)	0, 2, 4, 6, 8, 10, 15, 20, 25 ppm PO ₄	9111	4023, 9021	282.95
Quaternary Ammonium Compound (QAC)/Polyquat						
K-9065	D	Direct neutralization	1 drop = 1.25 ppm QAC/1 drop = 0.5 ppm polyquat	NA	9198BR	85.00
K-1582	D	Direct neutralization	1 drop = 10 or 25 ppm QAC/1 drop = 3.5 or 9 ppm polyquat	NA	9198BR	107.05
Salinity						
K-1577	D	Argentometric	1 drop = 1 or 2 ppt salinity	NA	9198	64.10
Sequestrant						
K-1599	D	Thorium nitrate/xylenol orange	1 drop = 1 or 10 ppm organo-phosphorus sequestering agent	NA	9198	107.75
Silica						
K-1273	M	Heteropoly blue	5, 10, 15, 20, 25, 30, 40, 50 ppm SiO ₂ ; By dilution: 25, 50, 75, 100, 125, 150, 200, 250 ppm SiO ₂ or 50, 100, 150, 200, 250, 300, 400, 500 ppm SiO ₂	9257	4025	117.30 *
K-1272	S	Heteropoly blue	0, 5, 10, 15, 20, 25, 30, 40, 50 ppm SiO ₂ ; By dilution: 0, 25, 50, 75, 100, 125, 150, 200, 250 ppm SiO ₂ or 0, 50, 100, 150, 200, 250, 300, 400, 500 ppm SiO ₂	9264	4023	178.50 *
Sulfite (Sodium)						
K-1529	D	Iodometric	1 drop = 2 or 10 ppm Na ₂ SO ₃	NA	9198W	47.45
Total Dissolved Solids						
K-1664	D	Acid-base titration	1 drop = 50 ppm TDS as CaCO ₃	NA	2306, 9198	77.65
Water Softener						
K-1519	D	Visual determination	Blue color indicates soft water (<1 gpg total hardness); red color indicates hard water (>1 gpg total hardness)	NA	9198	27.45
Zinc						
K-1511	D	Complexometric	1 drop = 0.5 ppm Zn	NA	9198	84.05

CODE KEY: B = Buret Titration C = Color Card Comparator D = Drop Test E = Electronic Meter L = Long Viewpath™ Comparator M = Midget™ Comparator O = Other S = Slide™ Comparator T = 2-Standard™ Comparator V = Visual Determination

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

MARKET-SPECIFIC TEST KITS

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
Boiler/Cooling Systems							
K-1542	D	Alkalinity, M	Methyl orange	1 drop = 10 ppm M alkalinity as CaCO ₃	NA	9198G	\$ 77.95
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm total hardness as CaCO ₃	NA	9198B	
K-1640	D	Alkalinity, P/T	Phenolphthalein/blended indicator	1 drop = 50 ppm P/T alkalinity as CaCO ₃	NA	9198G	125.53
	D	Chloride	Argentometric (high pH waters)	1 drop = 10 ppm Cl ⁻	NA	91980	
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm total hardness as CaCO ₃	NA	9198B	
	D	Sulfite (Sodium)	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	9198W	
K-1645	D	Alkalinity, P/M & P/T	Phenolphthalein/methyl orange/blended indicator	1 drop = 10 ppm P/M or P/T alkalinity as CaCO ₃	NA	9198G	186.70
	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	91980	
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm total hardness as CaCO ₃	NA	9198B	
	T	Orthophosphate	Stannous chloride	30 & 60 ppm PO ₄	9025	9021	
	C	pH	Long range	3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0	5425	9017	
	D	Sulfite (Sodium)	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	9198W	
K-1645-1	D	Alkalinity, P/M & P/T	Phenolphthalein/methyl orange/blended indicator	1 drop = 10 ppm P/M or P/T alkalinity as CaCO ₃	NA	9198G	172.55
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm total hardness as CaCO ₃	NA	9198B	
	T	Orthophosphate	Stannous chloride	30 & 60 ppm PO ₄	9025	9021	
	D	Sulfite (Sodium)	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	9198W	
K-1645-2	D	Alkalinity, P/M & P/T	Phenolphthalein/methyl orange/blended indicator	1 drop = 10 ppm P/M or P/T alkalinity as CaCO ₃	NA	9198G	99.25
	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	91980	
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm total hardness as CaCO ₃	NA	9198B	
K-1645-3	D	Alkalinity, P/M & P/T	Phenolphthalein/methyl orange/blended indicator	1 drop = 10 ppm P/M or P/T alkalinity as CaCO ₃	NA	9198G	100.05
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm total hardness as CaCO ₃	NA	9198B	
	D	Sulfite (Sodium)	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	9198W	
K-1645-4	D	Alkalinity, P/M & P/T	Phenolphthalein/methyl orange/blended indicator	1 drop = 10 ppm P/M or P/T alkalinity as CaCO ₃	NA	9198G	161.70
	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	91980	
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm total hardness as CaCO ₃	NA	9198B	
	T	Orthophosphate	Stannous chloride	30 & 60 ppm PO ₄	9025	9021	
K-1645-5	D	Alkalinity, P/M & P/T	Phenolphthalein/methyl orange/blended indicator	1 drop = 10 ppm P/M or P/T alkalinity as CaCO ₃	NA	9198G	159.60
	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	91980	
	T	Orthophosphate	Stannous chloride	30 & 60 ppm PO ₄	9025	9021	
	D	Sulfite (Sodium)	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	9198W	
K-1645-6	D	Alkalinity, P/M & P/T	Phenolphthalein/methyl orange/blended indicator	1 drop = 10 ppm P/M or P/T alkalinity as CaCO ₃	NA	9198G	107.10
	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	91980	
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm total hardness as CaCO ₃	NA	9198B	
	D	Sulfite (Sodium)	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	9198W	
K-1646	D	Molybdenum	Complexometric (uses powdered indicator for increased stability)	1 drop = 2, 5, 20, or 50 ppm Mo	NA	9198	156.45 *
	D	Nitrite (Sodium Nitrite)	Permanganate	1 drop = 50 ppm NaNO ₂	NA	9198	
	M	pH	Long range	3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0	9052	4024	
K-1650	D	Alkalinity, P/T	Phenolphthalein/blended indicator	1 drop = 50 ppm P/T alkalinity as CaCO ₃	NA	9198	180.60
	D	Chloride	Argentometric (high pH waters)	1 drop = 10 ppm Cl ⁻	NA	9198	
	T	Orthophosphate	Stannous chloride	30 & 60 ppm PO ₄	9025	9021	
	D	Sulfite (Sodium)	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	9198	
K-1680	D	Alkalinity, P/T	Phenolphthalein/blended indicator	1 drop = 10 ppm P/T alkalinity as CaCO ₃	NA	9198G	214.45
	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	91980	
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm total hardness as CaCO ₃	NA	9198B	
	D	Nitrite (Sodium Nitrite)	Ceric oxidation of nitrite ("CAN")	1 drop = 40 ppm NaNO ₂	NA	9198R	
	D	Phosphonate	Thorium nitrate/xylene orange (uses pH test paper 1.8-3.8)	1 drop = 1 ppm ATMP (Aminotri(methylenephosphonic acid)) plus conversion factors for ATMP-related phosphonates	NA	9198P	
	D	Sulfite (Sodium)	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	9198W	

CODE KEY: B = Buret Titration C = Color Card Comparator D = Drop Test E = Electronic Meter L = Long Viewpath™ Comparator M = Midget™ Comparator O = Other S = Slide™ Comparator T = 2-Standard™ Comparator V = Visual Determination

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

MARKET-SPECIFIC TEST KITS (continued)

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE		
Boiler/Cooling Systems (continued)									
K-1690	D	Alkalinity, P/T	Phenolphthalein/blended indicator	1 drop = 10 ppm P/T alkalinity as CaCO ₃	NA	9198	\$ 469.35		
	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	9198			
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm total hardness as CaCO ₃	NA	9198			
	D	Molybdenum	Complexometric (uses powdered indicator for increased stability)	1 drop = 2, 5, 20, or 50 ppm Mo	NA	9198			
	D	Nitrite (Sodium Nitrite)	Ceric oxidation of nitrite ("CAN")	1 drop = 40 ppm NaNO ₂	NA	4035			
	D	Phosphonate	Thorium nitrate/xylenol orange (uses pH test paper 1.8-3.8)	1 drop = 1 ppm ATMP (Aminotri(methylenephosphonic acid)) plus conversion factors for ATMP-related phosphonates	NA	9198			
	M	Silica	Heteropoly blue	5, 10, 15, 20, 25, 30, 40, 50 ppm SiO ₂ ; By dilution: 25, 50, 75, 100, 125, 150, 200, 250 ppm SiO ₂ or 50, 100, 150, 200, 250, 300, 400, 500 ppm SiO ₂	9257	4025			
	D	Sulfite (Sodium)	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	9198			
	K-1692	D	Alkalinity, Total	Blended indicator (using H ₂ SO ₄)	1 drop = 10 ppm total alkalinity as CaCO ₃	NA		9198G	400.05
		D	Chloride	Argentometric (high pH waters)	1 drop = 10 ppm Cl ⁻	NA		9198O	
D		Hardness, Calcium	EDTA titration	1 drop = 10 ppm calcium hardness as CaCO	NA	9198B			
D		Nitrite (Sodium Nitrite)	Ceric oxidation of nitrite ("CAN")	1 drop = 40 ppm NaNO ₂	NA	9198R			
D		Phosphonate	Thorium nitrate/xylenol orange (uses pH test paper 1.8-3.8)	1 drop = 1 ppm ATMP (Aminotri(methylenephosphonic acid)) plus conversion factors for ATMP-related phosphonates	NA	9198P			
V		Polymer	Turbidimetric	0, 2, 5, 7, 10 ppm polymer as PAA (polyacrylic acid)	NA	9198			
K-1693	D	Alkalinity, P/T	Phenolphthalein/blended indicator	1 drop = 10 ppm P/T alkalinity as CaCO ₃	NA	9198	328.65		
	D	Chloride	Argentometric (high pH waters)	1 drop = 10 ppm Cl ⁻	NA	9198			
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm total hardness as CaCO ₃	NA	9198			
	D	Hardness, Total (trace)	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 0.5 ppm total hardness as CaCO ₃	NA	9198			
	V	Polymer	Turbidimetric	0, 2, 5, 7, 10 ppm polymer as PAA (polyacrylic acid)	NA	9198			
	D	Sulfite (Sodium)	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	9198			
K-1819	D	Alkalinity, P	Phenolphthalein	1 drop = 10 ppm P alkalinity as CaCO ₃	NA	9198	94.35		
	D	Chloride	Argentometric	1 drop = 10 ppm Cl ⁻	NA	9198			
	D	Sulfite (Sodium)	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	9198W			
K-9105	D	Alkalinity, P/M	Phenolphthalein/methyl orange	1 drop = 50 ppm P/M alkalinity as CaCO ₃	NA	9198	1,622.25 *		
	D	Chloride	Argentometric	1 drop = 2, 10, or 100 ppm Cl ⁻	NA	9198			
	M	Copper, Total	Cuprizone	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm Cu	9049	4024			
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 or 50 ppm total hardness as CaCO ₃	NA	9198			
	D	Hardness, Total (trace)	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 0.5 ppm total hardness as CaCO ₃	NA	9198B			
	M	Iron, Total	Tripyridyl-s-triazine	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0 ppm Fe	9051	4024			
	D	Molybdenum	Complexometric (uses powdered indicator for increased stability)	1 drop = 2, 5, 20, or 50 ppm Mo	NA	9198			
	D	Nitrite (Sodium Nitrite)	Permanganate	1 drop = 50 ppm NaNO ₂	NA	9198R			
	M	Orthophosphate	Stannous chloride	10, 20, 30, 40, 50, 60, 80, 100 ppm PO ₄	9350	9021			
	D	Phosphonate	Thorium nitrate/xylenol orange (uses pH test paper 1.8-3.8)	1 drop = 1 ppm ATMP (Aminotri(methylenephosphonic acid)) plus conversion factors for ATMP-related phosphonates	NA	9198P			
	M	Silica	Heteropoly blue	5, 10, 15, 20, 25, 30, 40, 50 ppm SiO ₂ ; By dilution: 25, 50, 75, 100, 125, 150, 200, 250 ppm SiO ₂ or 50, 100, 150, 200, 250, 300, 400, 500 ppm SiO ₂	9257	4025			
	D	Sulfite (Sodium)	Iodometric	1 drop = 10 ppm Na ₂ SO ₃	NA	9198W			
	Laundry K-1615	D	Alkalinity, P/T	Phenolphthalein/blended indicator (laundry)	1 drop = 10 or 50 ppm P/T alkalinity as CaCO ₃	NA		9198G	168.21
		D	Chlorine (Bleach)	Iodometric	1 drop = 0.05 or 0.5% available chlorine (Cl ₂)	NA		9198	
D		Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm total hardness as CaCO ₃	NA	9198B			
C		pH	Long range	3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0	5425	9017			

CODE KEY: B = Buret Titration C = Color Card Comparator D = Drop Test E = Electronic Meter L = Long Viewpath™ Comparator M = Midget™ Comparator O = Other S = Slide™ Comparator T = 2-Standard™ Comparator V = Visual Determination

* Requires special packaging or has shipping restrictions that may involve additional shipping/handling charges.

MARKET-SPECIFIC TEST KITS (continued)

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
Laundry (continued)							
K-1616	D	Alkalinity, Active	Phenolphthalein/blended indicator (laundry)	1 drop = 100 ppm active alkalinity as Na ₂ O	NA	9198G	\$ 225.75
	D	Chlorine (Bleach)	Iodometric	1 drop = 0.05 or 0.5% available chlorine (Cl ₂)	NA	9198Y	
	V	Chlorine, Total	OT	Yellow color indicates chlorine	NA	9198Y	
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 1 gpg total hardness as CaCO ₃	NA	9198B	
	V	Iron, Total	Tripyridyl-s-triazine	Blue color indicates iron	NA	9198	
	V	pH	Wide range pH test papers	3-8, 9-12, 1-14	NA	NA	
K-9017 (spot tests)	V	Chlorine, Total	OT	Yellow color indicates chlorine	NA	NA	63.35
	V	Iron, Total	Tripyridyl-s-triazine	Blue color indicates iron	NA	NA	
	C	pH	Long range	3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0	5425	9017	

TTI COLORIMETER

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	PRICE
M-3000	E	Tests purchased separately; see TTI Colorimeter Reagent Packs section	Colorimetric absorption analysis: TTI 3000 Colorimeter	Colorimeter preprogrammed for water treatment professionals. Does 30+ preprogrammed tests; 8 user-developed tests. Contains two 15 mm sample cells, two 25 mm sample cells, one 50 mL dilution vial, one foam brush, four batteries, one AC power adapter, one USB cable, foam insert for soft carrying case, PC App, lifetime free access to new tests for TTI 3000, Quick-Start Guide. Purchase colorimeter reagent packs separately; purchase carrying case separately.	\$1,590.00

OTHER ELECTRONIC TEST KITS (Myron L meters w/ Taylor reagents & cases) Note: See page 14 for ULTRAPEN™ PT1 (6555) and ULTRAPEN™ PT2 (6556).

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	PRICE
K-6510	E	pH	Electrometric: Myron L TechPro II™ Model TH1	Range: 0-14	\$ 741.95
	E	Temperature	Electrometric: Myron L TechPro II™ Model TH1	Range: 32-160°F/0-71°C	
K-6520	E	Conductivity	Electrometric: Myron L TechPro II™ Model TP1	Range: 0-9999 µS or 10-20.00 mS in 3 autoranges	1,066.60
	E	Temperature	Electrometric: Myron L TechPro II™ Model TP1	Range: 32-160°F/0-71°C	
	E	Total Dissolved Solids	Electrometric: Myron L TechPro II™ Model TP1	Range: 0-9999 ppm or 10-20.00 ppt	
K-6530	E	Conductivity	Electrometric: Myron L TechPro II™ Model TPH1	Range: 0-9999 µS or 10-20.00 mS in 3 autoranges	1,475.00
	E	pH	Electrometric: Myron L TechPro II™ Model TPH1	Range: 0-14	
	E	Temperature	Electrometric: Myron L TechPro II™ Model TPH1	Range: 32-160°F/0-71°C	
	E	Total Dissolved Solids	Electrometric: Myron L TechPro II™ Model TPH1	Range: 0-9999 ppm or 10-20.00 ppt in 3 autoranges	
K-6540	E	Total Dissolved Solids	Electrometric: Myron L Model 512T5	Range: 0-5000 ppm	564.05
K-6542	E	Chloride (Sodium Chloride)	Electrometric: Myron L Model 512T5D	Range: 0-5000 ppm NaCl	573.05
	E	Total Dissolved Solids	Electrometric: Myron L Model 512T5D	Range: 0-5000 ppm	
K-6545	E	Conductivity	Electrometric: Myron L Model 512M5	Range: 0-5000 µS	544.65
K-6560	E	Conductivity	Electrometric: Myron L Model EP-10	Range: 0-10,000 µS	705.25
K-6569	E	Chlorine, Free	Electrometric: Myron L Ultrameter II™ 6PFC ^E	Range: 0.00-9.99 ppm or 350 ≤ ORP mV < 725, w/ 0.0 ≤ pH < 9.9	1,662.15
	E	Conductivity	Electrometric: Myron L Ultrameter II™ 6PFC ^E	Range: 0-9999 µS or 10-200 mS in 5 autoranges	
	E	ORP	Electrometric: Myron L Ultrameter II™ 6PFC ^E	Range: ±999 mV	
	E	pH	Electrometric: Myron L Ultrameter II™ 6PFC ^E	Range: 0-14	
	E	Resistivity	Electrometric: Myron L Ultrameter II™ 6PFC ^E	Range: 10 KΩ-30 MΩ	
	E	Temperature	Electrometric: Myron L Ultrameter II™ 6PFC ^E	Range: 32-160°F/0-71°C	
	E	Total Dissolved Solids	Electrometric: Myron L Ultrameter II™ 6PFC ^E	Range: 0-9999 ppm or 10-200 ppt in 5 autoranges	

MISCELLANEOUS KITS

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
K-1264	M	Copper, Total	Cuprizone	0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0, 3.0 ppm Cu	9049	4024	\$ 113.55
	M	Iron, Total	Tripyridyl-s-triazine	0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.5, 2.0 ppm Fe	9051	4024	
K-1542	D	Alkalinity, M	Methyl orange	1 drop = 10 ppm CaCO ₃	NA	9198G	77.95
	D	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 drop = 10 ppm CaCO ₃	NA	9198B	
K-1860-RP	V	Aerobic Bacteria	Nutrient-supported growth (by Sani-Check®)	Replacement pack(for K-1860): < 10 ⁴ , 10 ⁴ , 5x10 ⁴ , 10 ⁵ , 5x10 ⁵ , 10 ⁶ , 5x10 ⁶ , 10 ⁷ , > 10 ⁷ bacteria/mL	NA	NA	145.42

BURET TITRATION REAGENT PACKS

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	PRICE
K-0430	B	Alkalinity, P/M & P/T	Phenolphthalein/methyl orange/blended indicator	1 mL = 1 mg P/M or P/T alkalinity as CaCO ₃	\$ 23.40
K-0431	B	Alkalinity, P/M & P/T	Phenolphthalein/methyl orange/blended indicator	1 mL = 5 mg P/M or P/T alkalinity as CaCO ₃	24.60
K-0434	B	Chloride	Argentometric	1 mL = 0.5 mg Cl ⁻	32.05
K-0433	B	Chloride	Argentometric	1 mL = 1 mg Cl ⁻	31.75
K-0435	B	Chloride (Sodium Chloride)	Argentometric	1 mL = 1 mg NaCl	33.40
K-0445	B	Chlorine, Free & Combined	FAS-DPD	1 mL = 0.1 mg chlorine (Cl ₂)	99.45
K-0432	B	Hardness, Calcium & Total	EDTA titration (includes inhibitors to prevent metal interference)	1 mL = 1 mg calcium or total hardness as CaCO ₃	33.00
K-0447	B	Hardness, Total	EDTA titration (includes inhibitors to prevent metal interference)	1 mL = 0.1 mg total hardness as CaCO ₃	52.25
K-0440	B	Nitrite (Sodium Nitrite)	Permanganate	1 mL = 3.45 mg NaNO ₂	35.40
K-0444	B	Phosphonate	Thorium nitrate/xylenol orange (uses pH test paper 1.8-3.8)	1 mL = 6 ppm ATMP (Aminotri(methylene phosphonic acid)) plus conversion factors for ATMP-related phosphonates	95.55
K-0439	B	Sulfite (Sodium)	Iodometric	1 mL = 0.5 mg Na ₂ SO ₃	22.70
K-0436	B	Sulfite (Sodium)	Iodometric	1 mL = 1.0 mg Na ₂ SO ₃	24.15
K-0438	B	Sulfite	Iodometric	1 mL = 0.5 mg SO ₃ ²⁻	22.30
K-0437	B	Sulfite	Iodometric	1 mL = 1.0 mg SO ₃ ²⁻	22.25

ACCESSORIES

KIT NO.	KIT DESCRIPTION	KIT CONTENTS	PRICE
K-0401	Buret Titration Pack w/ 1 stopcock buret	One 25 mL stopcock buret, one 250 mL Erlenmeyer flask, one 50 mL graduated cylinder, one buret stand, one single buret clamp, instruction	\$ 229.50
K-0403	Buret Titration Pack w/ 2 stopcock burets	Two 25 mL stopcock burets, two 250 mL Erlenmeyer flasks, one 50 mL graduated cylinder, one buret stand, two single buret clamps, instruction	333.65
K-9348	Case, Titration, 20" w x 23" h x 10" d w/ stopcock burets	Four 10 mL stopcock burets, two 125 mL Erlenmeyer flasks, one 50 mL graduated cylinder, five removable storage trays, instruction (provides same testing applications as K-9348 with mandatory purchase of any four buret packs listed in BURET TITRATION REAGENT PACKS	1,741.67
K-9780	Wall-Mount Titration Cabinet, 30" w x 10" d x 20" h	Cabinet of 20-gauge cold-rolled steel with baked enamel finish, built-in Dalite™ lamp, work area for four buret titrations, three storage shelves, lockable	823.00
K-9780-GP	Wall-Mount Titration Cabinet Glassware Pack	One 50 mL graduated cylinder, two 250 mL Erlenmeyer flasks, one 10 mL glass pipet, one 58 mm plastic funnel, two 1.0 mL plastic pipets, two 3 mL plastic pipets, four 10 mL stopcock burets, #610 9.0 cm filter papers	690.00

TTI COLORIMETER REAGENT PACKS

KIT NO.	CODE	TEST	METHOD/CHEMISTRY	STANDARD/EQUIVALENCE OR DESCRIPTION	COMPARATOR	CELL	PRICE
K-8001	E	Chlorine, Free & Total	DPD	0-4.00 or 0-10.0 ppm chlorine (Cl ₂)	NA	9601	\$ 34.35
	E	Chlorine, Free & Total	DPD	0-8.0 ppm chlorine (Cl ₂)	NA	9602	
K-8002	E	Bromine, Total	DPD	0-10.00 or 0-20.0 ppm bromine (Br ₂)	NA	9601	31.35
K-8003	E	Molybdenum	Ternary complex	0-3.30 ppm Mo	NA	9601	34.50
K-8004	E	Phosphate	Molybdovanadate	0-70.0 ppm PO ₄ ³⁻	NA	9601	22.90
K-8005	E	Phosphate	Molybdenum blue	0-3.00 ppm (20-3000 ppb) PO ₄ ³⁻	NA	9601	33.00
K-8006	E	Polymer	Turbidimetric	0-20 or 20-500 ppm polymer as PAA (polyacrylic acid)	NA	9601	123.70
K-8007	E	Silica	Silicomolybdate	0-60.0 ppm SiO ₂	NA	9601	30.75
K-8008	E	Silica	Heteropoly blue	0-4.00 ppm SiO ₂	NA	9601	42.85
K-8009	E	Iron, Total	Tripyridyl-s-triazine	0-4.00 ppm Fe	NA	9601	25.75
K-8010	E	Iron, Ferrous	Phenanthroline	0-3.00 ppm Fe ²⁺	NA	9601	32.95
K-8011	E	Iron, Total	Proprietary	0-0.300 ppm Fe	NA	9601	58.50
K-8012	E	Copper, Total	Cuprizone	0-3.00 ppm Cu	NA	9601	35.20
K-8013	E	Copper, Free	Porphyrin	0-0.200 ppm Cu	NA	9601	54.80
K-8014	E	Phosphonate	Persulfate-UV oxidation	0-30.0 ppm PO ₄ ³⁻	NA	9601	40.65
K-8014-AC	E	Phosphonate (includes accessories)	Persulfate-UV oxidation	0-30.0 ppm PO ₄ ³⁻	NA	9601	176.15
K-8015	E	Hydrazine	p-Dimethylaminobenzaldehyde	0-1.50 ppm N ₂ H ₄	NA	9601	48.40
K-8016	E	Oxygen Scavenger	Iron reduction	0-1.000 ppm carbohydrazide; 0-0.700 ppm DEHA; 0-2.450 ppm erythorbic acid; 0-2.000 ppm hydroquinone; 0-3.000 ppm MEKO	NA	9601	36.50
K-8017	E	Manganese	Persulfate	0-30.0 ppm Mn	NA	9601	35.80
K-8018	E	Boron	Azomethine H	0-2.00 ppm B	NA	9601	38.05
K-8019	E	Zinc	Zincon	0-3.00 ppm Zn	NA	9601	64.90
K-8020	E	Hydrogen Peroxide (Biguanide Shock)	Iodide catalytic oxidation	0-2.00 ppm H ₂ O ₂ ; By dilution: 2-20, 20-100, or 100-125 ppm H ₂ O ₂	NA	9601	21.50
K-8021	E	Nitrite	Ferrous sulfate	0-150 ppm NO ₂ ⁻ ; By dilution: 150-1500 ppm NO ₂ ⁻	NA	9601	32.95
K-8022	E	Hardness, Total	Calmagite	0-4.00 ppm total hardness as CaCO ₃	NA	9601	37.00
K-8023	E	Sodium Chloride (Salt)	Turbidimetric	0-80 ppm NaCl; By dilution: 75-150, 150-500, 500-2000, or 2000-8000 ppm NaCl	NA	9601	16.20
K-8024	E	Alkalinity, Total	Bromocresol green	0-250 ppm total alkalinity as CaCO ₃	NA	9601	32.30
K-8025	E	Sulfide	Methylene blue	0-1.00 ppm S ²⁻	NA	9601	43.15
K-8026	E	Hardness, Calcium	Calmagite	0-4.00 ppm calcium hardness as CaCO ₃	NA	9601	30.90
K-8027	E	pH	Phenol red	6.50-8.50	NA	9601	26.30
K-8028	E	Molybdenum	Thioglycolate	0-60.0 ppm Mo	NA	9601	51.65
K-8029	E	Hardness, Total	Calmagite	0-500 ppm total hardness as CaCO ₃	NA	9601	37.00
K-8030	E	Hardness, Calcium	Alizarin red	0-800 ppm calcium hardness as CaCO ₃	NA	9601	49.85
K-8031	E	Monopersulfate (Oxidizing Shock)	DPD	0-10.0 ppm chlorine (Cl ₂)	NA	9601	26.80
K-8032	E	Cyanuric Acid	Turbidimetric	7-120 ppm CYA	NA	9601	20.30
K-8033	E	Azole	Bisulfite-UV oxidation	0-25.0 ppm tolytriazole	NA	9601	31.55
K-8033-AC	E	Azole (includes accessories)	Bisulfite-UV oxidation	0-25.0 ppm tolytriazole	NA	9601	200.50
K-8035	E	Nitrate	Chromotropic acid	0-44 ppm NO ₃ ⁻	NA	9601	176.85

ALPHANUMERIC REAGENT CROSS-REFERENCE

REAGENT DESCRIPTION	REAGENT NO.	REAGENT DESCRIPTION	REAGENT NO.
A.C. Complete Reagent	R-0874	Causticity Reagent #2	R-0757
Acid Meta Cresol Purple Indicator	R-1003B	Chloride Reagent	R-0682
Acid Starch Indicator Powder	R-0725	Chlorine F&T DPD/P - Reagent A	R-8001A
Acid Sulfate	R-0781	Chlorine F&T DPD/P - Reagent B	R-8001B
Acyl Blue Indicator	R-1003R	Chlorine Reagent #2	R-0604
Acyl Red Indicator	R-1003P	Chloroform	R-0651
Alkaline Iodide Azide Reagent	R-0660S	Chlorophenol Red Indicator	R-1003G
Alkalinity Total 250 - Reagent A	R-8024A	Chromate Indicator	R-0630
Alkalinity Total 250 - Reagent B	R-8024B	Citrate Buffer	R-0905
Ammonium Persulfate	R-1305O	Complexing Reagent	R-0950
Amperometric Phosphate Buffer	R-7054	Conductivity Neutralizing Solution	R-7022
Azole 25 - Reagent A	R-8033A	Conductivity Solution 50 µS (23.4 ppm NaCl)	R-0868-50
Azole 25 - Reagent B	R-8033B	Conductivity Solution 500 µS (242 ppm NaCl)	R-0868-5C
Barium Chloride Solution 10%	R-0646	Conductivity Solution 1000 µS (492 ppm NaCl)	R-0868-1K
Barium Chloride Solution 20%	R-0711	Conductivity Solution 2500 µS (1273 ppm NaCl)	R-0868-25C
Barium Chloride Solution 30%	R-0720	Conductivity Solution 3900 µS (2027 ppm NaCl)	R-0868-39C
Benzo Red Indicator	R-1003S	Conductivity Solution 5000 µS (2634 ppm NaCl)	R-0868-5K
Benzo Yellow Indicator	R-1003C	Copper Buffer	R-0642
Bleach Reagent #1	R-0664	Copper Free 0.2 - Reagent A	R-8013A
Bleach Reagent #2 (crystals)	R-0665S	Copper Free 0.2 - Reagent B	R-8013B
Bleach Reagent #2 (liquid)	R-0665	Copper Free 0.2 - Reagent C	R-8013C
Bleach Reagent #3	R-0666	Copper Free 0.2 - Reagent D	R-8013D
Boron 2 - Reagent A	R-8018A	Copper Free 0.2 - Reagent E	R-8013E
Boron 2 - Reagent B	R-8018B	Copper Reagent #1	R-0860
Boron Reagent #1	R-0953	Copper Reagent #2	R-0861
Boron Reagent #2	R-0954	Copper Total 3 - Reagent A	R-8012A
Boron Reagent #3	R-0955	Copper Total 3 - Reagent B	R-8012B
Boron Reagent #4	R-0956	Cresol Red Indicator	R-1003K
Boron Reagent #5	R-0957	Cyanuric Acid 120 - Reagent A	R-8032A
Boron Reagent #6	R-0958	Deminerlizer Bottle	R-0804
Boron Titrating Reagent (50 mL sample, 1 drop = .2 ppm B)	R-0959	DI Water	R-0833
Boron Titrating Reagent (50 mL sample, 1 drop = .5 ppm B)	R-0960	Dilute Ammonia 1:1	R-1305Y
Bromcresol Green Indicator	R-1003E	Dilute Hydrochloric Acid	R-1305J
Bromine T DPD/P - Reagent A	R-8002A	Dimethylglyoxime Reagent	R-1305Z
Bromine T DPD/P - Reagent B	R-8002B	DPD Powder	R-0870
Bromthymol Blue Indicator	R-1003H	DPD Reagent #1	R-0001
BTB/MCP Indicator	R-1003W	DPD Reagent #2	R-0002
Buffer Solution pH 2.0	R-1099-02	DPD Reagent #3	R-0003
Buffer Solution pH 4.0	R-1099-04	DPD Tablet #1	R-0843
Buffer Solution pH 7.0	R-1099-07	DPD Tablet #3	R-0844
Buffer Solution pH 8.0	R-1099-08	EDTA Solution	R-0814
Buffer Solution pH 9.0	R-1099-09	EDTA Standard Solution .005M	R-7035
Buffer Solution pH 10.0	R-1099-10	FAS Titrating Solution	R-0815
Buffer Solution pH 11.0	R-1099-11	FAS-DPD Titrating Reagent (for bromine)	R-0872
Buffer Solution pH 12.0	R-1099-12	FAS-DPD Titrating Reagent (for buret titrations)	R-0875
Calcium Buffer	R-0653-2	FAS-DPD Titrating Reagent (for chlorine)	R-0871
Calcium Buffer (for cadmium testing)	R-0653	Ferrioin Indicator	R-0819
Calcium Indicator Liquid	R-0011L	Fluoride Masking Agent	R-0805
Calcium Indicator Powder	R-0011P	Gallic Acid	R-7046
CAN Solution (5 mL sample, 1 drop = 40 ppm NaNO ₂)	R-0820	Glutaraldehyde Reagent #1	R-0786
CAS Indicator Powder	R-0800	Glutaraldehyde Reagent #2	R-0787
Causticity Reagent #1	R-0756	Glycine Solution	R-0813

ALPHANUMERIC REAGENT CROSS-REFERENCE (continued)

REAGENT DESCRIPTION	REAGENT NO.	REAGENT DESCRIPTION	REAGENT NO.
Hardness Buffer	R-0775	Iodide Iodate Reagent (25 mL sample, 1 drop = 2 ppm Na ₂ SO ₃)	R-0808
Hardness Buffer (most often used)	R-0619	Iodide Iodate Reagent (25 mL sample, 1 drop = 10 ppm SO ₃)	R-0817
Hardness Calcium 4 - Reagent A	R-8026A	Iodide Solution	R-0772
Hardness Calcium 4 - Reagent B	R-8026B	Iodine Buffer	R-0769
Hardness Calcium 4 - Reagent C	R-8026C	Iodine Indicator	R-0768
Hardness Calcium 800 - Reagent A	R-8030A	Iron Ferrous 3 - Reagent A	R-8010A
Hardness Calcium 800 - Reagent B	R-8030B	Iron Ferrous 3 - Reagent B	R-8010B
Hardness Calcium 800 - Reagent C	R-8030C	Iron Reagent #1	R-0851
Hardness Calcium 800 - Reagent D	R-8030D	Iron Reagent #2	R-0852
Hardness Indicator Powder	R-0620	Iron Total 0.3 - Reagent A	R-8011A
Hardness Reagent (1 drop = 10 ppm hardness as CaCO ₃)	R-0683	Iron Total 0.3 - Reagent B	R-8011B
Hardness Reagent (25 mL sample, 1 drop = 2 ppm hardness as CaCO ₃)	R-0806	Iron Total 4 - Reagent A	R-8009A
Hardness Reagent .001M	R-0920	Iron Total 4 - Reagent B	R-8009B
Hardness Reagent .0025M	R-0684	Lead Buffer	R-0771
Hardness Reagent .01M	R-0618	Lead Reagent	R-0766
Hardness Reagent A	R-0614	Long Range Indicator	R-1003U
Hardness Reagent B	R-0615	Magnesium Chloride Reagent	R-0755
Hardness Total 4 - Reagent A	R-8022A	Manganese 30 - Reagent A	R-8017A
Hardness Total 4 - Reagent B	R-8022B	Manganese 30 - Reagent B	R-8017B
Hardness Total 4 - Reagent C	R-8022C	Manganous Sulfate Powder	R-0657
Hardness Total 4 - Reagent D	R-8022D	Manganous Sulfate Solution	R-0658
Hardness Total 500 - Reagent A	R-8029A	Mercuric Nitrate Titrating Solution	R-0845
Hardness Total 500 - Reagent B	R-8029B	Meta Cresol Purple Indicator	R-1003L
Hardness Total 500 - Reagent C	R-8029C	Methyl Orange Indicator	R-0637
High Iron Reagent #1	R-0673	Methyl Red Indicator	R-1003F
High Iron Reagent #2	R-0674	Molybdate Concentrate	R-0601C
Hydrazine 1.5 - Reagent A	R-8015A	Molybdate Reagent	R-0601
Hydrazine 1.5 - Reagent B	R-8015B	Molybdenum 3.3 - Reagent A	R-8003A
Hydrochloric Acid .12N	R-0724	Molybdenum 3.3 - Reagent B	R-8003B
Hydrochloric Acid .25N	R-0627H-4	Molybdenum 60 - Reagent A	R-8028A
Hydrochloric Acid .6N	R-0735	Molybdenum 60 - Reagent B	R-8028B
Hydrochloric Acid 1N	R-0738	Molybdenum 60 - Reagent C	R-8028C
Hydrochloric Acid 2.5N	R-0655H-2	Molybdenum 60 - Reagent D	R-8028D
Hydrochloric Acid 3N	R-0737	Molybdenum Buffer Solution	R-0890
Hydrochloric Acid Concentrated	R-0616	Molybdenum Indicator Powder	R-0900
Hydrochloric Acid N/10	R-0627H-10	Molybdenum Indicator Solution	R-0891
Hydrochloric Acid N/20	R-0785	Molybdenum Indicator Solvent	R-0901
Hydrochloric Acid N/30	R-0899	Molybdenum Standard 20 ppm	R-0887
Hydrochloric Acid N/50	R-0760	Molybdenum Titrating Solution	R-0892
Hydrochloric Acid Reagent	R-0709	Monopersulfate 10 - Reagent A	R-8031A
Hydrogen Peroxide 2 - Reagent A	R-8020A	Monopersulfate 10 - Reagent B	R-8031B
Hydrogen Peroxide 2 - Reagent B	R-8020B	Monopersulfate 10 - Reagent C	R-8031C
Hydrogen Peroxide 2 - Reagent C	R-8020C	NED Powder	R-0923
Hydrogen Peroxide Solution 3%	R-0649	Neutralizing Amine Titrating Solution	R-0869
Hydroxylamine Reagent	R-1306E	Nitrate 44 - Reagent A	R-8035A
Iodide Azide Powder	R-0659	Nitrate 44 - Reagent B	R-8035B
Iodide Iodate N/10	R-0633-10	Nitrate 44 - Reagent C	R-8035C
Iodide Iodate N/40	R-0633-40	Nitrate 150 - Reagent A	R-8021A
Iodide Iodate N/63	R-0617	Nitrate 150 - Reagent B	R-8021B
Iodide Iodate N/80	R-0633-80	NTA Cosolvent Solution	R-0879
Iodide Iodate N/126	R-0633-126	NTA Titrating Reagent	R-0893
Iodide Iodate Reagent (1 drop = 10 ppm Na ₂ SO ₃)	R-0699	ODA Indicator	R-0784

ALPHANUMERIC REAGENT CROSS-REFERENCE (continued)

REAGENT DESCRIPTION	REAGENT NO.	REAGENT DESCRIPTION	REAGENT NO.
Orthotolidine	R-0600	Silica Reagent #1	R-1306T
Oxone Reagent	R-0770	Silica Reagent #2	R-1306U
Oxygen Scavenger - Reagent A	R-8016A	Silica Reagent #3	R-1305U
Oxygen Scavenger - Reagent B	R-8016B	Silica Reagent #4	R-1305Q
PAA Reagent #1	R-0925	Silver Nitrate .54N	R-0629
PAA Reagent #2	R-0926	Silver Nitrate N/7.1	R-0692
PAA Reagent #3	R-0927	Silver Nitrate N/10	R-0698
PAA Reagent #4	R-0928	Silver Nitrate N/35.5	R-0629-35
PAA Titrating Solution	R-0929	Silver Nitrate N/50	R-0629-50
PAO Reagent	R-0846	Silver Nitrate N/58.4	R-0629-58
Parazo Orange Indicator	R-1003Q	Silver Nitrate N/71	R-0629-71
Periodate Powder	R-0906	Silver Nitrate Reagent (25 mL sample, 1 drop = 2 ppm Cl ⁻)	R-0807
Permanganate N/5	R-1305L	Silver Nitrate Reagent (25 mL sample, 1 drop = 10 ppm Cl ⁻)	R-0706
Permanganate N/10	R-0652	Sodium Carbonate .24N	R-0810
Permanganate Reagent (25 mL sample, 1 drop = 25 ppm NaNO ₂)	R-0742	Sodium Carbonate N/10	R-0716
Permanganate Reagent (25 mL sample, 1 drop = 50 ppm NaNO ₂)	R-0733	Sodium Carbonate N/50	R-0632-50
Permanganate Reagent (25 mL sample, 1 drop = 100 ppm NaNO ₂)	R-0730	Sodium Chloride (Salt) 80 - Reagent A	R-8023A
pH 6.5-8.5 - Reagent A	R-8027A	Sodium Chloride (Salt) 80 - Reagent B	R-8023B
pH Indicator Solution (for Midget & Slide comparators)	R-1003J	Sodium Hydroxide N/10	R-0628-10
pH Soaker Solution (pH 4 Buffer with no dye)	R-0834	Sodium Hydroxide N/44	R-0628-44
Phenanthroline Reagent	R-1306G	Sodium Hydroxide N/50	R-0628-50
Phenol Red Tablet	R-0848	Sodium Hydroxide Reagent (1 drop = 0.5 g/100 mL HCl)	R-0739
Phenolphthalein Indicator	R-0638	Sodium Hydroxide Reagent (1 drop = 1 g/100 mL H ₂ SO ₄ , H ₃ PO ₄ , or H ₃ NSO ₃)	R-0740
Phenolphthalein Indicator 1%	R-0638S	Sodium Thiosulfate	R-0747
Phosphate 3 - Reagent A	R-8005A	Sodium Thiosulfate 2%	R-7008
Phosphate 3 - Reagent B	R-8005B	Sodium Thiosulfate 10%	R-7061
Phosphate 70 - Reagent A	R-8004A	Standard Alkali N	R-0656
Phosphonate 30 - Reagent A	R-8014A	Stannous Chloride Concentrate	R-0602
Phosphonate 30 - Reagent B	R-8014B	Stannous Chloride Powder	R-0602P
Phosphonate 30 - Reagent C	R-8014C	Starch Indicator Solution	R-0636
Phosphonate Titrating Solution (for buret titrations)	R-0880	Sulfamic Acid Powder (reagent grade)	R-0837
Phosphonate Titrating Solution (for drop-count titrations)	R-0803	Sulfamic Acid Powder (technical grade)	R-0726
Phthalein Red Indicator	R-1003N	Sulfanilamide Powder	R-0921
Polymer - Reagent A	R-8006A	Sulfide 1 - Reagent A	R-8025A
Polymer - Reagent B	R-8006B	Sulfide 1 - Reagent B	R-8025B
Polymer Reagent #1	R-0830	Sulfide 1 - Reagent C	R-8025C
Polymer Reagent #2	R-0831	Sulfuric Acid	R-0896
Potassium Iodide Crystals	R-0765	Sulfuric Acid .12N	R-0687
QAC Titrating Solution (25 mL sample, 1 drop = 2 ppm QAC)	R-0883	Sulfuric Acid .24N	R-0811
QAC Titrating Solution (high range)	R-0884	Sulfuric Acid .6N	R-0736
QAC Titrating Solution (low range)	R-0951	Sulfuric Acid 1.28N	R-0655S-1
Reversion Acid	R-0640	Sulfuric Acid 50%	R-0729
Reversion Neutralizer	R-0641	Sulfuric Acid Concentrated	R-0608
SEQ Reagent (25 mL sample, 1 drop = 1 ppm Organo-Phosphorus SEQ Agent)	R-0847	Sulfuric Acid N	R-0686
SEQ Reagent (25 mL sample, 1 drop = 10 ppm Organo-Phosphorus SEQ Agent)	R-0866	Sulfuric Acid N/10	R-0627S-10
Silica 4 - Reagent A	R-8008A	Sulfuric Acid N/50	R-0627S-50
Silica 4 - Reagent B	R-8008B	Sulfuric Acid Reagent	R-0691
Silica 4 - Reagent C	R-8008C	TDS Resin	R-0809
Silica 4 - Reagent D	R-8008D	TDS Solution (equivalent to 1000 ppm/442™)	R-0968-1K
Silica 60 - Reagent A	R-8007A	Thiocarbamate Reagent	R-0643
Silica 60 - Reagent B	R-8007B	Thiocyanate Reagent	R-1305K
Silica 60 - Reagent C	R-8007C	Thiosulfate N	R-0824

ALPHANUMERIC REAGENT CROSS-REFERENCE (continued)

REAGENT DESCRIPTION	REAGENT NO.	REAGENT DESCRIPTION	REAGENT NO.
Thiosulfate N/10	R-0697	Total Chelant Indicator Powder	R-0911
Thiosulfate Reagent	R-0783	Total Chelant Titrating Solution	R-0912
Thiosulfate Reagent (2 mL sample, 1 drop = 0.5% H ₂ O ₂ ; 1 mL sample, 1 drop = 1% H ₂ O ₂)	R-0885	Total Hardness Reagent	R-0854
Thiosulfate Reagent (25 mL sample, 1 drop = .5 ppm CrO ₄)	R-0794	Trace Hardness Buffer	R-0622
Thiosulfate Reagent (25 mL sample, 1 drop = 5 ppm H ₂ O ₂)	R-0774	Trace Hardness Reagent	R-0623
Thiosulfate Reagent (50 mL sample, 1 drop = .2 ppm O ₂)	R-0780	Xylenol Orange Indicator Powder	R-0802P
Thiosulfate Reagent (50 mL sample, 1 drop = 1.0 ppm O ₂)	R-0782	Zinc 3 - Reagent A	R-8019A
Thiosulfate Reagent (50 mL sample, 1 drop = 5 ppm I ₂)	R-0789	Zinc 3 - Reagent B	R-8019B
Thiosulfate Reagent (chlorine titrant)	R-0700	Zinc 3 - Reagent C	R-8019C
Thymol Blue Indicator	R-1003M	Zinc 3 - Reagent D	R-8019D
Thymol Red Indicator	R-1003T	Zinc Powder	R-0922
Toluidine Blue O Indicator	R-0881	Zinc Reagent #1	R-0839
Tolyl Red Indicator	R-1003O	Zinc Reagent #2	R-0840
Total Alkalinity Indicator	R-0645	Zinc Reagent #3	R-0841

REPLACEMENT PARTS - listed by type

PART DESCRIPTION	PART NO.	PRICE	PART DESCRIPTION	PART NO.	PRICE
Bottles, Jars, Vials, Caps & Tips					
Bottle, .75 oz, poly, amber (for 2263, 2270, 2300)	2147	\$ 2.55	Case, Midget Comparator, Non-ribbed, fits 22 mL bottles, 4" w x 3.5" d x 4" h, plastic, blue	7004	\$ 10.40
Bottle, .75 oz, poly, natural (for 2263, 2270, 2300)	2146	2.45	Case, Mini Multipurpose, Non-ribbed, fits 22 mL bottles, 4.25" w x 4" d x 1.5" h, plastic, blue	7008	11.95
Bottle, 2 oz, glass, amber (for 2344)	2239	2.15	Case, Slide Comparator, Non-ribbed, fits 22 mL/60 mL bottles, 11" w x 6" d x 5" h, plastic, blue	7012	24.50
Bottle, 2 oz, poly, amber (for 2344)	2241	3.60	Case, Slide Comparator, Ribbed w/ compartments, fits 22 mL/60 mL bottles, 11" w x 6" d x 5" h, plastic, blue	7009	30.60
Bottle, 2 oz, poly, natural (for 2263, 2270, 2300)	2242	3.20	Case, Titration w/o glassware, 20" w x 10" d x 23" h, plastic & metal, black	9345	1,107.75
Bottle, 4 oz, glass, amber (for 2277)	2244	3.90	Insert (base), Attaché Case, cut, foam (for 7350)	9354	26.50
Bottle, 4 oz, poly, natural (for 2278 & 2313)	2246	2.80	Insert (base), Deluxe Case, cut for 5 Slide comparators/45 2 oz bottles, foam (for 9352)	9352-4B	24.94
Bottle, 16 oz, poly, amber (for 2282)	2249	4.85	Insert (base), Deluxe Case, cut for 6 Midget comparators/48 2 oz bottles, foam (for 9352)	9352-5B	23.99
Bottle, 16 oz, poly, natural (for 2282)	2251	4.00	Insert (base), Deluxe Case, cut for 6 Midget comparators/syringe filter/48 2 oz bottles, foam (for 9352)	9352-3B	24.47
Bottle, 32 oz, glass, amber (for 2285 & 2351)	2252	6.75	Insert (base), Deluxe Case, cut for 63 2 oz bottles, foam (for 9352)	9352-2B	25.60
Bottle, 32 oz, poly, amber (for 2282)	2253	5.15	Insert (base), Deluxe Case, uncut, foam (for 9352)	9352-1B	23.15
Bottle, 32 oz, poly, natural (for 2282)	2254	4.55	Insert (top), Deluxe Case, partially cut for typical labware, foam (for 9352)	9352-2T	24.05
Bottle, Calibrated (50 mL), 2 oz (wide-mouth) w/ glass stopper, glass	9269	51.95	Insert (top), Deluxe Case, partially cut for typical labware/meter, foam (for 9352)	9352-3T	32.13
Bottle, gal, poly, natural (for 2332)	2331	6.90	Insert (top), Deluxe Case, uncut, foam (for 9352)	9352-1T	22.75
Bottle, Graduated (50 mL w/ 5 mL div), 2 oz w/ foil-lined cap, glass	9177	17.30	Insert, foam (for K-1690)	7151	82.33
Bottle, Graduated (50 mL w/ 5 mL div), 2 oz w/ POLY-SEAL™ cap, glass	9222	6.50	Saddlebag, storage for laptops & other accessories, water-resistant, 600 denier polyester, black	6658	124.00
Cap, 18 mm w/ liner, black (for 2146, 2147, 2205, 2241, 2242)	2270	1.30	Cells & Tubes		
Cap, 24 mm, black (for 2246)	2278	1.55	Sample Tube, Calibrated (5 mL), plastic	4035	1.90
Cap, 28 mm w/ liner, black (for 2249, 2251, 2253, 2254)	2282	1.20	Sample Tube, Calibrated (25 mL), plastic	4034	3.05
Cap, 33 mm, black (for 2252 & 2291)	2285	1.40	Sample Tube, Graduated (25 mL) w/ cap, plastic	9198	4.80
Cap, 38 mm (tamper-resistant), white (for 2331)	2332	1.30	Sample Tube, Graduated (25 mL) w/ cap & blue dot, plastic	9198B	4.70
Cap, 38 mm, black (for 2292)	2286	1.50	Sample Tube, Graduated (25 mL) w/ cap & brown dot, plastic	9198BR	4.70
Cap, 53 mm, black (for 2294 & 2295)	2288	1.55	Sample Tube, Graduated (25 mL) w/ cap & green dot, plastic	9198G	4.70
Cap, Buret, 28 mm w/ hole, black (for 2249, 2251, 2253, 2254)	2281	1.25	Sample Tube, Graduated (25 mL) w/ cap & light blue dot, plastic	9198LB	4.70
Cap, Dispenser, 18 mm, white (for 2146, 2147, 2241, 2242)	2269	1.40	Sample Tube, Graduated (25 mL) w/ cap & orange dot, plastic	9198O	4.70
Cap, Dispenser, 24 mm, white (for 2246)	2313	2.50	Sample Tube, Graduated (25 mL) w/ cap & purple dot, plastic	9198P	4.70
Cap, Dispenser, 28 mm, white (for 2249, 2251, 2253, 2254)	2280	1.80	Sample Tube, Graduated (25 mL) w/ cap & red dot, plastic	9198R	4.70
Cap, Dropper, 18 mm, natural (for 2146, 2147, 2241, 2242)	2263	1.35	Sample Tube, Graduated (25 mL) w/ cap & white dot, plastic	9198W	4.70
Cap, Test Cell (5 mL), plastic, rectangular (for 4025)	3267	1.45	Sample Tube, Graduated (25 mL) w/ cap & yellow dot, plastic	9198Y	4.70
Cap, Test Cell (5 mL), plastic, square (for 9017)	3235	1.15	Sample Tube, Graduated (50 mL) w/ cap, plastic	9188	4.30
Cap, Test Cell (11.5 mL), plastic, rectangular (for 4024 & 9018)	3243	1.45	Sample Tube, Plain w/ white dot on bottom, plastic	9187	1.75
Jar, 60 cc (wide-mouth), poly, natural (for 2285)	2291	2.60	Test Cell, Calibrated (5, 10, 15 cm) w/ cap, plastic, rectangular (for Long Viewpath comparator)	9018	12.40
Jar, 120 cc (wide-mouth), poly, natural (for 2286)	2292	3.15	Test Cell, Calibrated (11.5 mL), plastic, rectangular (for 3243)	4024	5.40
Jar, 500 cc (wide-mouth), poly, natural (for 2288)	2294	5.65	Test Tube, Calibrated (5 mL), glass	4023	1.80
Tip, 18 mm, natural (for 2146, 2147, 2241, 2242)	2300	1.15	Test Tube, Calibrated (5 mL), glass, 6-pack	4023-6	9.40
Tip, 18 mm, natural, 50-pack (for 2146, 2147, 2241, 2242)	2300-50	54.00	Test Cell, Calibrated (5 mL), plastic, rectangular (for 3267)	4025	4.85
Vial, 10 g w/ desiccant liner, plastic (for 2235)	2629	5.40	Test Tube, Calibrated (5 mL) w/ cap, glass	9020	4.20
Vial, 10 g w/ desiccant liner, plastic, 12-pack (for 2235)	2629-12	57.15	Test Cell, Calibrated (5 mL) w/ cap, plastic, square	9017	4.70
Vial, Graduated (30 mL), 10 dram w/ cap, glass	2306	6.90	Test Tube, Mixing, Calibrated (5, 10, 14, 15, 17.5 mL) w/ stopper, glass	9021	21.50
Cases & Inserts			Test Tube, Mixing, Calibrated (5, 10, 14, 15, 17.5 mL) w/ stopper, glass, 6-pack	9021-6	118.95
Case, Attaché, 15.5" w x 5.5" d x 13.25" h, plastic, black	7350	36.95			
Case, Attaché w/ insert, 15.5" w x 5.5" d x 13.5" h, plastic, black	9360	131.50			
Case, Deluxe Carrying w/ document holder only, 18.5" w x 8" d x 15.75" h, plastic, black	9352	337.65			
Case, Drop Test, Non-ribbed, fits 22 mL/60 mL bottles, 11.5" w x 5.125" d x 2" h, plastic, blue	7061	17.90			
Case, Drop Test, Ribbed, fits 22 mL/60 mL bottles, 11.5" w x 5.125" d x 2" h, plastic, blue	7060	19.70			
Case, Dual Midget Comparator, Non-ribbed, fits 22 mL bottles, 7.75" w x 4.5" d x 3.75" h, plastic, blue	7058	12.75			

REPLACEMENT PARTS - listed by type (continued)

PART DESCRIPTION	PART NO.	PRICE	PART DESCRIPTION	PART NO.	PRICE
Colorimeter Accessories			Midget Comparator, pH, Long Range, 3.0-10.0	9052	\$ 34.40
AC Power Adapter, Colorimeter	6535	\$ 18.10	Midget Comparator, pH, Phenol Red, 6.8-8.2	9053	34.40
Accuracy Check Kit (for TTI Colorimeter Series)	K-8000	151.25	Midget Comparator, pH, Thymol Blue, 8.2-9.6	9321	34.40
Brush, Colorimeter Sample Cell, foam, 4-pack	6649-4	3.40	Midget Comparator, Silica, Heterotrophy Blue, 5-50 ppm	9257	34.40
Case, Colorimeter Hard Carrying w/ molded insert, 20" w x 15.625" d x 5.5" h, polypropylene, gray	9502	305.00	Slide Comparator, Bromine (total), DPD, 0-3.0 ppm	9079	51.75
Case, Colorimeter Soft Carrying, 11" w x 7" d x 4.625" h, 600 denier polyester, gray (requires foam insert 7203)	7146	43.20	Slide Comparator, Bromine (total), DPD, 2.0-10 ppm	9236	51.75
Case, Premium General Utility w/ molded insert, fits 60 mL bottles, 20" w x 15.625" d x 5.5" h, polypropylene, black	9503	334.00	Slide Comparator, Chlorine (free/total), DPD, 0-1.0 ppm	9081	51.75
Insert, Colorimeter Case, foam (for 7146)	7203	40.95	Slide Comparator, Chlorine (free/total), DPD, 0-3.0 ppm	9082	51.75
Saddlebag, water-resistant, 600 denier polyester, black (for 9502, 9503, 9504)	7145	0.00	Slide Comparator, Chlorine (free/total), DPD, 0.8-2.4 ppm	9228	51.75
Sample Cell, Colorimeter, 15 mm w/ cap, glass, 3-pack	9602-3	24.50	Slide Comparator, Chlorine (free/total), DPD, 1.0-10 ppm	9083	51.75
Sample Cell, Colorimeter, 25 mm w/ cap, glass, 3-pack	9601-3	23.50	Slide Comparator, Chlorine (total), OT, 0-1.0 ppm	9084	51.75
Stirring Bar, Spinvane®, Magnetic, Colorimeter	6657	31.55	Slide Comparator, Chlorine (total), OT, 0-50 ppm	9087	51.75
USB Cable, Colorimeter	6552	13.70	Slide Comparator, Chlorine (total), OT, 0.1-4.0 ppm	9085	51.75
UV Light, SteriPEN® (for all tests requiring UV digestion)	6656	100.00	Slide Comparator, Chlorine (total), OT, 0.2-3.0 ppm	9086	51.75
Vial, Dilution (50 mL w/ cap), Colorimeter	6551	2.20	Slide Comparator, Chlorine (total), OT, 0.2-12 ppm	9088	51.75
Comparators			Slide Comparator, Chlorine (total), OT, 5-250 ppm	9231	51.75
2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 20 & 40 ppm	9026	25.40	Slide Comparator, Copper, Cuprizone, 0-3.0 ppm	9094	51.75
2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 20 & 60 ppm	9028	25.40	Slide Comparator, Iron (total), Phenanthroline, 0-10 ppm	9246	51.75
2-Standard Comparator, Orthophosphate (high range), Stannous Chloride, 30 & 60 ppm	9025	25.40	Slide Comparator, Iron (total), Tripyridyl-s-triazine, 0-2.0 ppm	9106	51.75
2-Standard Comparator, Orthophosphate (low range), Stannous Chloride, 2 & 8 ppm	9027	25.40	Slide Comparator, Nitrate, Zinc Reduction, 0-10 ppm	9285	51.75
2-Standard Comparator, Orthophosphate (low range), Stannous Chloride, 10 & 20 ppm	9294	25.40	Slide Comparator, Octadecylamine (ODA), Bromphenol Blue/Chloroform Extraction, 0-6 ppm	9283	51.75
Color Card Comparator/Instruction, Copper, Thiocarbamate, 0.05-1.0 ppm	5432	2.90	Slide Comparator, Orthophosphate (high range), Stannous Chloride, 5-100 ppm	9110	51.75
Color Card Comparator/Instruction, pH, Long Range, 3.0-11.0	5425	3.40	Slide Comparator, Orthophosphate (low range), Stannous Chloride, 0-25 ppm	9111	51.75
Color Card Comparator/Instruction, pH, Long Range, 5.0-9.0	5426	3.40	Slide Comparator, Ozone, DPD, 0-0.66 ppm	9318	51.75
Midget Comparator, Bromine (total), DPD, 0-10 ppm	9227	34.40	Slide Comparator, Ozone, DPD, 0-2.0 ppm	9317	51.75
Midget Comparator, Bromine (total), DPD, 0.2-3.0 ppm	9041	34.40	Slide Comparator, pH, Bromthymol Blue, 6.0-7.6	9066	51.75
Midget Comparator, Bromine (total), OT, 0.2-3.0 ppm	9034	34.40	Slide Comparator, pH, Cresol Red, 7.2-8.8	9068	51.75
Midget Comparator, Chlorine (free/total), DPD, 0.1-2.0 ppm	9241	34.40	Slide Comparator, pH, Long Range, 3.0-11.0	9078	51.75
Midget Comparator, Chlorine (free/total), DPD, 0.2-3.0 ppm	9040	34.40	Slide Comparator, pH, Meta Cresol Purple, 7.6-9.2	9069	51.75
Midget Comparator, Chlorine (free/total), DPD, 1.5-10 ppm	9048	34.40	Slide Comparator, pH, Phenol Red, 6.8-8.4	9067	51.75
Midget Comparator, Chlorine (total), OT, 0-1.0 ppm	9039	34.40	Slide Comparator, pH, Phthalein Red, 8.6-10.2	9071	51.75
Midget Comparator, Chlorine (total), OT, 0-2.0 ppm	9047	34.40	Slide Comparator, pH, Thymol Blue, 8.0-9.6	9070	51.75
Midget Comparator, Chlorine (total), OT, 5-250 ppm	9297	34.40	Slide Comparator, pH, Toly Red, 10.0-11.6	9072	51.75
Midget Comparator, Copper, Cuprizone, 0.2-3.0 ppm	9049	34.40	Slide Comparator, Silica, Heterotrophy Blue, 0-50 ppm	9264	51.75
Midget Comparator, Glutaraldehyde, Modified MBTH, 0-50 ppm	9323	34.40	Slide Comparator (Long Viewpath), Manganese, Periodate Oxidation, 0-3.0 ppm	9421	51.75
Midget Comparator, Iodine/Iodide (free/total), Leuco Crystal Violet, 0-2.0 ppm	9037	34.40	Slide Comparator (Long Viewpath), pH, Bromthymol Blue/Meta Cresol Purple, 6.0-9.2	9432	51.75
Midget Comparator, Iron (ferric/ferrous/total), Phenanthroline, 0-10 ppm	9050	34.40	Dispensing Apparatus		
Midget Comparator, Iron (total), Tripyridyl-s-triazine, 0-2.0 ppm	9051	34.40	Dipper Spoon, .15 g, plastic, white	4044	0.75
Midget Comparator, Orthophosphate (high range), Stannous Chloride, 10-100 ppm	9350	34.40	Dipper Spoon, 2 g, plastic, natural	4026	1.50
Midget Comparator, Orthophosphate (low range), Stannous Chloride, 0-10 ppm	9054	34.40	Dipper Spoon w/ paddle handle, .05 g, plastic, blue, 12-pack (for 2629)	2235-12	1.80
Midget Comparator, pH, Bromthymol Blue, 6.0-7.4	9036	34.40	Pipet (eye dropper), Calibrated (0.5 mL), plastic	4075	1.10
Midget Comparator, pH, Chlorphenol Red, 5.2-6.6	9237	34.40	Pipet (eye dropper), Calibrated (0.5 mL) w/ cap, plastic	4028	1.80
Midget Comparator, pH, Cresol Red, 7.2-8.6	9006	34.40	Pipet (eye dropper), Calibrated (0.5 & 1.0 mL), plastic	4029	2.20
			Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ brown cap, plastic	9012	2.55
			Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ cap, plastic	4030	2.40
			Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ green cap, plastic	9011	2.55
			Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ red cap, plastic	9010	2.55
			Pipet (eye dropper), Calibrated (0.5 & 1.0 mL) w/ yellow cap, plastic	9009	2.55
			Pipet (eye dropper), Calibrated (2.5 mL) w/ bulb, glass	9013	10.90
			Pipet (eye dropper), Graduated (1 mL w/ 0.1 mL div), glass	4010	10.15

REPLACEMENT PARTS - listed by type (continued)


PART DESCRIPTION	PART NO.	PRICE	PART DESCRIPTION	PART NO.	PRICE
Dispensing Apparatus (continued)			Hydrometer, Specific Gravity, 1.000-1.400		
Pipet (eye dropper), Graduated (2 mL w/ 0.5 mL div), plastic	4072	\$ 8.95	Lamp, Dalite™	4017	\$ 63.70
Pipet (eye dropper), Graduated (2 mL w/ 0.5 mL div) w/ cap, plastic	4077	5.55	Lamp, Long Viewpath	9195	198.55
Pipet (eye dropper), Graduated (3 mL w/ 0.5 mL div), plastic	4078	4.15	Lamp, Light Bulb, Dalite™, 8-watt (for K-9780)	9196	495.25
Pipet (eye dropper), Graduated (10 mL w/ 0.1 mL div), glass	4011	22.95	Light Bulb, Dalite™, 25-watt (for 9195 & 9196)	6187	39.17
Glassware			Lightbox, w/ adapter, batteries & case	3020	14.90
Beaker, 150 mL, glass	4001	13.85	Magnetic Stirrer, SpeedStir Start-up Pack w/ 6101 & 9198	9199	146.00
Buret, Pinchcock, 25 mL, glass	9326	167.00	Meter, Conductivity, Myron L 512M5	9265	42.40
Buret, Stopcock, 10 mL (0.1 mL div), glass	9342	160.80	Meter, Conductivity, Myron L EP-10	6545	297.85
Buret, Stopcock, 10 mL (0.1 mL div)/500 ppm (5 ppm div), glass	9343	146.25	Meter, Conductivity/FC/ORP/pH/Resistivity/TDS/Temperature, Myron L	6560	506.20
Buret, Stopcock, 25 mL, glass	9341	140.33	Ultrameter II™ 6PFC [®]	6569	1204.65
Cylinder, Graduated (10 mL w/ 0.2 mL div), glass	4004	11.10	Meter, Conductivity/pH/TDS/Temperature, Myron L TechPro II™ TPH1	6530	1183.90
Cylinder, Graduated (50 mL w/ 1.0 mL div), glass	4005	15.25	Meter, Conductivity/Salinity/TDS, Myron L ULTRAPEN™ PT1	6555	172.30
Cylinder, Graduated (100 mL w/ 1 mL div), glass	4007	20.05	Meter, Conductivity/TDS/Temperature, Myron L TechPro II™ TP1	6520	832.05
Flask, Erlenmeyer, 50 mL, glass	4065	11.45	Meter, pH/Temperature, Myron L TechPro II™ TH1	6510	544.25
Flask, Erlenmeyer, 125 mL, glass	4043	11.10	Meter, pH/Temperature, Myron L ULTRAPEN™ Model PT2	6556	158.50
Flask, Erlenmeyer, 250 mL, glass	4008	12.15	Meter, Sodium Chloride/TDS, Myron L PoolMeter™ 512T5D	6542	310.15
Miscellaneous Parts			Meter, TDS, Myron L 512T5	6540	297.85
Ampule, Clear Distilled Water (for Midget comparator)	9207	3.30	SampleSizer, 10 & 25 mL, anodized aluminum (for 9056, 9057, 9058, 9198)	6190	17.00
Ampule, Clear Distilled Water (for Slide comparator)	9208	3.60	SampleSizer, 10 & 25 mL, anodized aluminum, 12-pack (for 9056, 9057, 9058, 9198)	6190-12	184.50
Ampule, Color Standard (for Midget comparator)	9209	4.35	Stand, Buret	6054	37.95
Ampule, Color Standard (for Slide comparator)	9210	5.00	Stirring Bar, Magnetic, .5"	6106	9.40
Base, Slide Comparator, Enslow (for test cells)	9189	56.40	Stirring Bar, Magnetic, 1"	6101	9.95
Base, Slide Comparator (for test tubes)	9190	56.30	Stirring Rod, 5", plastic, 6-pack	4086-6	4.85
Brush, Long Viewpath Test Cell	6000	4.55	Stirring Rod, 6", glass	4015	2.40
Brush, Test Cell	6002	3.95	Stirring Rod, 10", plastic	4085	2.50
Brush, Test Tube	6003	4.45	Stopper, Buret, rubber	6024	8.15
Case Divider w/ pad (for 9352)	9600	163.15	Stopper, Test Tube (#2, mixing), rubber	6022	1.45
Clamp, Buret (single)	6056	27.95	Stopper, Test Tube (5 mL, calibrated), rubber (for 4023)	6021	2.65
Cylinder, Hydrometer (200 mm) w/ pour spout, glass	4018	46.25	Syringe (no filter disc holder or filter discs), 30 mL, plastic	6260	5.60
Dish, Evaporating, 250 mL, porcelain	6008	50.95	Syringe (no filter disc holder or filter discs), 60 mL, plastic	6247	5.60
Filter Disc Holder, 25 mm, Millipore™ (for 6247 & 6260)	6249	23.10	Syringe Adapter, 5" x .25", 5-pack	6087-5	6.30
Filter Discs, 25 mm diameter, 0.45 µm, Millipore™, 100/box (for 6249)	6261	165.55	Syringe Filtration System Start-up Pack w/ 25 mm filter disc holder (no filter discs), 60 mL, plastic	9803	31.80
Filter Discs, 25 mm diameter, 0.45 µm w/ holders, Millipore™, 10-pack (for 6247 & 6260)	6086-10	57.08	Test Paper, Chlorine, 10-200 ppm, 100 strips	6023	5.65
Filter Discs, 25 mm diameter, 2.5 µm, Whatman™, 100/box (for 6249)	6257	53.55	Test Paper, Dispenser Roll, Chlorine, 10-200	6034	16.95
Filter Discs, 25 mm diameter, 5.0	6248	185.25	Test Paper, Dispenser Roll, pH, 1-14	6018	22.05
Filter Paper, 9.0 cm, #610, 100/box	6009	13.45	Test Paper, Dispenser Roll, pH, 3-8	6030	21.45
Filter Paper, 9.0 cm, #617, 50/box	6010	10.20	Test Paper, Dispenser Roll, pH, 6-8	6019	22.05
Filter Paper, 12.5 cm, #610, 100/box	6011	18.90	Test Paper, Dispenser Roll, pH, 9-12	6031	21.45
Filter Paper, 12.5 cm, #617, 50/box	6012	13.35	Test Paper, pH, 0-6, colorpHast®	6256	37.55
Filter, Dalite™, glass (for 9195 & 9196)	3208	98.50	Test Paper, pH, 0-14, colorpHast®	6255	49.90
Funnel, 58 mm, plastic	4027	2.20	Test Paper, pH, 1.8-3.8, 200 strips	9315	42.90
Hose, Buret, .25" dia. x 6', rubber	9291	26.65	Test Paper, pH, 2.5-4.5, colorpHast®	6051	35.95
Hose, Buret, .375" dia. x 10" w/ bead & tip (glass), rubber	9289	9.40	Test Paper, pH, 6.5-10.0, colorpHast®	6254	37.55
Hydrometer, Specific Gravity, 1.000-1.070	4016	69.35	Test Paper, Quat, 100-400 ppm, 100 strips	6433	14.05
			Thermometer, Armored, -10° to +110°C	6097	45.90

There's always something new waiting for you at
www.taylortechnologies.com

Our home on the web is always evolving, with new or enriched content awaiting you at every visit. Far more than an online store, taylortechnologies.com is designed to be your favorite destination when the subject is water analysis:

- On our site you can read or print out Material Safety Data Sheets and instructional articles; download photography, line art, and copy for your catalogs, fliers, and other promotional materials... see all the components of a test kit... watch a product demo... preview test instructions before making a purchase.
- You'll find the answers to frequently asked questions about our business practices, a helpful glossary of water chemistry terms, links to related websites, and opportunities to participate in decisions we make about our product lines.
- Have a technical question? Want sales or marketing support? Got a bee in your bonnet? We've made it easy to contact the right person.
- We've also posted news about products and upcoming events.

If you have colleagues unfamiliar with Taylor, they'll want to check out the testimonials from other customers, read about how we became known as "the most trusted name in water testing," and meet the people behind the brand. (Even old friends might find these sections interesting, particularly the virtual tour of our production facilities.)



Lots of streaming video product demonstrations are posted for review

NEW

from Taylor Technologies, Inc.

TTi[®] 3000 Colorimeter

for water treatment professionals

It's not either/or anymore!



get
reliable performance
and
user-friendly features

▲ M-3000
see pages 23 & 25